

Delay, Detect, Defend: Preparing for a Future in which Thousands Can Release New Pandemics

Geneva Paper 29/22

Kevin M. Esvelt
November 2022



GCSP
Geneva Centre for
Security Policy

Delay, Detect, Defend: Preparing for a Future in which Thousands Can Release New Pandemics

Geneva Paper 29/22

Kevin M. Esvelt
November 2022

The Geneva Centre for Security Policy

The Geneva Centre for Security Policy (GCSP) is an international foundation serving a global community of organisations and individuals. The Centre's mission is to advance peace, security and international cooperation by providing the knowledge, skills and network for effective and inclusive decision-making through executive education, diplomatic dialogue, research and policy advice.

The Geneva Papers and l'Esprit de Genève

With its vocation for peace, Geneva is the city where states, international organisations, NGOs and the academic community work together to create the essential conditions for debate and action. The Geneva Papers intend to serve this goal by promoting a platform for constructive and substantive analysis, reflection and dialogue.

Geneva Papers Research Series

The Geneva Papers Research Series is a set of publications offered by the GCSP.

The Geneva Papers Research Series seeks to analyse international security issues through an approach that combines policy analysis and academic rigour. It encourages reflection on new and traditional security issues, such as the globalisation of security, new threats to international security, conflict trends and conflict management, transatlantic and European security, the role of international institutions in security governance and human security. The Research Series offers innovative analyses, case studies, policy prescriptions and critiques, to encourage global discussion.

All Geneva Papers are available online at:
www.gcsp.ch/publications

ISBN: 978-2-88947-117-1

© Geneva Centre for Security Policy, 2022

The views, information and opinions expressed in this publication are the author's/authors' own and do not necessarily reflect those of the GCSP or the members of its Foundation Council. The GCSP is not responsible for the accuracy of the information.

About the author

Kevin M. Esvelt is an Associate Professor at the Massachusetts Institute of Technology Media Lab and a co-founder of SecureBio Inc and the SecureDNA Foundation. The creator of synthetic ecosystems to rapidly evolve molecular tools, he is best known for inventing CRISPR-based gene drive, a technology capable of spreading engineered changes from laboratory organisms to entire wild populations. Esvelt's laboratory and affiliated nonprofit organisations seek to safeguard biotechnology against mistrust and misuse by pioneering new ways of working with communities to apply ecological engineering techniques, developing early-warning systems to reliably detect catastrophic biological threats, and applying cryptographic methods to enable secure and universal DNA synthesis screening. He holds a PhD in Biochemistry from Harvard University and is a Polymath Fellow at the Geneva Centre for Security Policy.

Acknowledgements

Many thanks to G. Epstein, G. Lewis, R. Casagrande, and J. Rickli for their thoughtful comments, and to C. Zabel, A. Snyder-Beattie, J. Sandbrink, J. Wagstaff, C. Bakerlee, B. Mueller, W. Bradshaw, M. McLaren, A. Gopal, M. Palmer, K. Oye, E. Alley, R. Rivest, C. Nelson, J. Bloom, and others for helpful discussions. Some images were generated with Dall-E 2.

About this publication

This publication is part of a special series of papers under the Polymath Initiative supported by the Didier and Martine Primat Foundation. For more information, please visit the Polymath Initiative website:

<https://www.gcsp.ch/the-polymath-initiative>

Contents

Executive summary and key takeaways	8
I. Introduction	10
II. Adversaries	15
III. Delay	17
A. Information denial: known hazards	
B. Information denial: novel hazards	
C. Physical denial	
D. Deterrence	
IV. Detection	30
A. Reliable detection	
B. Sensitive detection	
V. Defence	32
A. Active defence: equipment	
B. Active defence: resilient production	
C. Active defence: diagnostics + personalised early warning	
D. Passive defence: transmission-blocking infrastructure	
VI. Conclusion	43
Endnotes	45
References	50
Geneva Papers Research Series	59

Executive summary

The world is demonstrably vulnerable to the introduction of a single pandemic virus with a comparatively low case fatality rate. The deliberate and simultaneous release of many pandemic viruses across travel hubs could threaten the stability of civilisation. Current trends suggest that within a decade, tens of thousands of skilled individuals will be able to access the information required for them to single-handedly cause new pandemics. Safeguarding civilisation from the catastrophic misuse of biotechnology requires delaying the development and misuse of pandemic-class agents while building systems capable of reliably detecting threats and preventing nearly all infections.

Key takeaways

Background

- We don't yet know of any credible viruses that could cause new pandemics, but ongoing research projects aim to publicly identify them.
- Identifying a sequenced virus as pandemic-capable will allow >1,000 individuals to assemble it.
- One person with a list of such viruses could simultaneously ignite multiple pandemics.
- Viruses can spread faster than vaccines or antivirals can be distributed.
- Pandemic agents are more lethal than nuclear devices and will be accessible to terrorists.

Delay

- A pandemic test-ban treaty will delay proliferation without slowing beneficial advances.
- Liability and insurance for catastrophic outcomes will compensate for negative externalities.
- Secure and universal DNA synthesis screening can reduce unauthorised access by >100-fold.

Detect

- Untargeted sequencing can reliably detect all exponentially spreading biological threats

Defend

Goal: eliminate the virus while providing food, water, power, law enforcement, and healthcare

- Develop and distribute pandemic-proof protective equipment for all essential workers
 - Comfortable, stylish, durable powered respirators must be proven to work reliably
- Foster resilient supply chains, local production, and behavioural outbreak control
 - Strengthen systems and offer individualised early warning to block transmission
- Develop and install germicidal low-wavelength lights, which appear to be harmless to humans
 - Overhead fixtures can reduce airborne and surface pathogens by >90 per cent in seconds

I. Introduction

Relative to nuclear weapons, pandemic-class agents are comparably lethal and will be far more accessible

The international community has gone to immense lengths to prevent non-state actors from acquiring nuclear weapons. However, COVID-19 has demonstrated that even relatively mild pandemic viruses can kill more people than any nuclear device. While pandemic-class agents would be strategically useless to nation-states due to their slow spread and indiscriminate lethality, they might be acquired and deliberately released by terrorists.

Numerous independent advances in virology and biotechnology, none of which is obviously threatening on its own, have recently combined to render many viruses accessible to skilled individuals at a low cost. Step-by-step assembly protocols capable of producing infectious viruses from a genome sequence and standard laboratory reagents are widely available¹, with particularly detailed and reliable instructions for influenzaviruses and coronaviruses, the families responsible for the last five respiratory pandemics². Such protocols, which are intended to obviate the requirement for “tacit knowledge” to successfully perform the experiment, have become increasingly common. The recent democratisation of biotechnology suggests that they have broadly succeeded: the typical advance made in a cutting-edge laboratory by individuals with doctorates has required just one year to be reproduced in other laboratories, three years to be adapted for use in other contexts, five years to be reproduced by undergraduates and individuals with moderate skills, and 12-13 years to become accessible to high school students and others with low skills and resources³.

Figure 1: Proliferation of nuclear weapons and of pandemic 1918 influenza virus





Figure 2: Price per base of DNA sequencing and synthesis, circa 2017⁴

Today, perhaps 30,000 individuals with doctorates currently possess the skills to follow the most straightforward virus assembly protocols: the United States has awarded approximately 2500 doctorates in virology in the past 20 years⁵; at least three times as many scientists in more common disciplines such as synthetic biology, bioengineering, and biomedicine also work with viruses and can follow such protocols, and the United States trains approximately one-third of such scientists worldwide⁶. No clinical samples are required: due to exponentially falling sequencing costs, most virus genome sequences are shared publicly soon after discovery, allowing them to be assembled from commercially available synthetic DNA, which is now widely available at a low and exponentially falling cost (see graph)⁷. While members of the International Gene Synthesis Consortium, an industry group concerned about the prospect of misuse, screen customers and DNA synthesis orders for hazards at considerable expense, it is easy to find non-members that presumably do not⁸.

While sequenced viruses are widely accessible, pandemic proliferation and misuse cannot yet occur because we lack key knowledge: there are still no credible examples of viruses likely to cause new pandemics. As soon as someone identifies a single capable virus and shares its complete genome sequence, many thousands of people will immediately be able to generate infectious samples that could start a new pandemic. A list of many such viruses would allow a suitably skilled and resourced individual to ignite more pandemics simultaneously than would naturally occur in a century.

This future appears bleak and frightening. There is a natural temptation to reject it, and search for reasons to believe that the life sciences, which

have given us cures for so many diseases, could not possibly pose a threat comparable to nuclear weapons. As a biologist and biotechnologist, I find the temptation to disbelieve nearly overwhelming. If human actions could never yield globally catastrophic consequences, then faster, more open science would always be the right decision. Yet the highest tenet of science is our reverence for the truth. Nuclear weapons and climate change have already proven that we do not live in such an idyllic world, and it would be irresponsible of us to pretend otherwise.

The primary reason that no terrorist has ever gained access to a nuclear device – or even the fissile materials required to create one – is that people of many nations recognized the proliferation threat and worked together to forestall it⁹. The resulting nuclear security measures did not prevent us from reaping the benefits of nuclear power: the International Atomic Energy Agency estimates that between 1971 and 2018, nuclear power plants prevented the emission of 74 gigatonnes of carbon dioxide, and continue to prevent an additional two gigatons per year¹⁰. Today, it's unlikely that a naive observer would single out nuclear physics as an unusually unhealthy or unproductive field even though it has operated under security restrictions for many decades, and although working in climate science may be less comfortable now that the field has been politicised, accurate projections are arguably more important than ever.

Biology is no different. We can rationally assess the potential for misuse and take appropriate countermeasures without impeding beneficial advances; in fact, we have already done so. The advent of recombinant DNA in the 1970's – i.e. the ability to cut and splice genes – provoked widespread concern that “there was an atomic bomb hidden away in modern biology”¹¹. “Scientists were concerned that unfettered pursuit of this research might engender unforeseen and damaging consequences for human health and Earth's ecosystems”¹², leading them to declare a moratorium on their own research. Only after intense discussions at the famous Asilomar conference of 1975 did they correctly conclude that recombinant DNA within carefully chosen laboratory-adapted constructs posed no risk of spreading on its own¹³.

As nuclear fears receded with the end of the Cold War and the conclusions of Asilomar were confirmed, fears of “Andromeda strains” faded¹⁴, while assertions that “Nature is the greatest bioterrorist” – that humanity cannot match nature's ability to generate novel agents capable of spreading on their own in the wild – became a cliché¹⁵. This claim may have been accurate as recently as a decade ago, but is now tenuous at best. For example, in 2013 I discovered CRISPR-based gene drive, a technology widely viewed to be capable of spreading genomic alterations made in laboratory organisms to entire wild species¹⁶. Gene drive systems, which can cause populations to collapse if not go extinct¹⁷, hold tremendous promise for eradicating diseases such as malaria and schistosomiasis, but the technology is accessible to

individual researchers, who in principle are now capable of single-handedly altering Earth's ecosystems. The remarkable acceleration of new advances in biotechnology over the past decade strongly suggests that other methods of building agents capable of exponential spread are also possible. Add ongoing attempts to deliberately engineer lethal viruses to become highly transmissible¹⁸, and asserting that humanity will *not* develop novel methods of engineering new pandemic-class agents appears to be dangerously overconfident¹⁹.


Nor does catastrophic misuse require novelty. Animal viruses manifestly do not spill over to cause pandemics in multiple airports simultaneously, and certainly not in groups, but once enough of them are identified, thousands of people will be capable of causing both²⁰. If current trends continue, many such viruses will be made public: well-intentioned researchers at one agency currently seek to identify animal viruses capable of causing new pandemics, share their genome sequences with the world, and publish them in a list rank-ordered by threat level²¹. The security implications, which apparently went unrecognised by the relevant agency, its scientists, and even national security experts for over a dozen years, are ghastly.

A credible list of pandemic-capable viruses would in principle allow anyone capable of assembling those agents to seed so many outbreaks that even the harshest and most comprehensive of lockdowns by today's nations would struggle to contain them all. With some natural viruses exhibiting the transmissibility of early variants of SARS-CoV-2 and a lethality rate exceeding 30 per cent²², such an event could precipitate the greatest catastrophe in the history of humanity. Even the best-prepared nations lack sufficient protective equipment for most key personnel, and vaccines and other medical countermeasures could not plausibly be manufactured and distributed in any time frame shorter than months, if they could be developed at all²³. If essential workers are unwilling or unable to maintain food, water, and power distribution networks, societies will collapse.

This outcome is not inevitable, however, or even especially likely. But the same is true of a large-scale nuclear exchange, and of four degrees of climate warming: we cannot tolerate a tiny chance of any of them actually occurring. On this basis alone, we should approach the mitigation of global catastrophic biological risk with the same degree of seriousness as we do nuclear non-proliferation and climate change mitigation.

Below, I propose a set of interventions that, taken together, could plausibly solve this immense problem while negligibly impacting the lifesaving work of my colleagues in the life sciences. Technologies capable of effectively immunising nations against even adversarial releases of pandemic-class agents are now within our reach, and the price tag is a tiny fraction of existing defence budgets, let alone the cost of mitigating climate change. By delaying proliferation while we construct reliable systems for threat detection and defence, we can safeguard the international community from biological catastrophe.

Figure 3: Delay, Detect, Defend



II. Adversaries

The world has never faced non-state actors capable of killing millions

Strategies aiming to delay the identification and deliberate release of pandemic-class agents can benefit from understanding who is most likely to misuse biology to catastrophic effect.

Powerful nations share an overriding strategic interest in preventing the proliferation of pandemic-class agents. Such agents cannot be reliably targeted and are of negligible tactical utility, but their accessibility and destructive power pose a major security risk. Even if superior targeting becomes possible, the slow spread and obvious nature of selective harm would severely limit their usefulness to powerful nations. Still, the existence of the Soviet Union's large-scale biological weapons program demonstrates that states may pursue such research against their own interests²⁴. More importantly, while few if any nations harbour offensive bioweapons programmes involving pandemic-class agents, their peaceful biomedical, public health, and biodefence agencies can and do inadvertently fund life sciences research facilitating the proliferation of such agents. Examples include the United States²⁵, European Union²⁶, China²⁷, Japan²⁸, and Germany²⁹.

Rogue states may be interested in acquiring pandemic-class agents for deterrence, but because it is easy to fake data indicating that a novel virus is pandemic-capable, such a deterrent may not be taken seriously until it is independently verified. However, these states are capable of assembling and threatening to release any agents for which credible blueprints are already available. Like powerful nations, rogue states have a strategic interest in preventing other actors from accessing pandemic-class agents.

Extremists are non-state actors who value pandemic-class agents for their potential to coerce whatever or whoever they wish to target. Having less to lose than rogue states, they may be more willing to openly make threats and trade knowledge with others, but are similarly constrained by their inability to credibly claim to possess novel pandemic-class agents. They also have no interest in disseminating blueprints.

Zealots are unique among adversaries in being uninterested in coercion or deterrence; they seek pandemic-class agents in order to use them. Historical examples include omnicidal cultists such as Aum Shinrikyo³⁰, single-minded terrorists who will grasp at any means to kill their enemies³¹, radicals who seek to bring down our current civilisation³², deep ecologists aiming to dramatically reduce the human population³³, the

small fraction of nihilistic or mentally disturbed mass shooters skilled and disciplined enough to undergo suitable training in the life sciences³⁴, and some of those who see no future for their own value system and way of life³⁵. Most zealots are not capable of novel research, but a few may possess or deliberately acquire the skills needed to assemble pandemic-class agents from blueprints.

Numerically, fewer than a dozen powerful nations have funded research seeking to identify pandemic-class agents³⁶. There are only a handful of rogue states, but many thousands of extremists and zealots (see Table 1). The existence of Seiichi Endo of Aum Shinrikyo, a graduate-trained virologist who joined the cult in 1987, initiated its biological weapons program in 1990, and was active until his arrest in 1995 – including a reported attempt to obtain Ebola virus³⁷ – strongly suggests that zealots with the technical skills, resources, and intent to commit mass murder may also exist today. Any modern individual with Endo’s educational background and resources could almost certainly obtain Ebola virus by assembling it from synthetic DNA using established protocols; many other viruses are equally accessible³⁸. Modern-day equivalents of historical mass murderers such as the Unabomber – a Harvard graduate and former Berkeley mathematics professor who sought to bring down industrial civilisation and wrote of “the immense power of biotechnology”³⁹ – would likely seek training in virology. The potential for so many extremists and zealots to gain access to pandemic-class agents once suitable viruses are credibly identified underscores the importance of denying them access to critical information and materials for as long as possible.

Table 1: Anticipated level of interest in the study of credible pandemic-class agents

	# Interested*	R&D capacity	Credibility**	Motivation	Can be deterred?
Powerful nations	< 15	High	High	Knowledge	Yes
Rogue states	< 10	Moderate	None	Deterrence	Yes
Extremists	> 1,000	Limited /varies	None	Coercion	Somewhat
Zealots	> 1,000	None /varies	None	Mass death	No

* Interest by powerful nations may be well-meaning, intended to support science and combat natural pandemics

** The ability to identify a pandemic-capable agent and be believed

III. Delay

When an attack cannot be blocked and deterrence is not feasible, delay and denial are the only defences

SARS-CoV-2 and its variants have proven that the world would struggle to contain a new pandemic agent, even one only introduced at a single site distant from a travel hub. Any agent deliberately released in airports would spread considerably faster. Therefore, we must delay proliferation and forestall deliberate misuse by restricting access to the information and physical materials required to build pandemic-class agents until reliable methods of containing pandemic viruses are available throughout the world.

A. Information denial: known hazards

Even unblockable threats require blueprints

The basic principles governing atomic and thermonuclear weapons are widely known, but exact blueprints and details about enrichment processes are closely held and difficult to reproduce. The higher the barriers to rogue states and especially to non-state groups seeking to develop the weapons, the better. The same is true for pandemics: scientists should not perform and openly publish experiments that would credibly identify pandemic-class agents because doing so would unavoidably hand blueprints to rogue states, extremists, and zealots who may not be able to identify such agents on their own. Nations should similarly hesitate to identify pandemic-class pathogens even if they think they can keep the results out of the public domain. First, it would be extremely difficult to privately utilize the information for protective purposes. Second, any such classified programmes would appear to be weapons-related if any indication of their existence became known. Finally, even highly classified information can seldom be protected forever.

Only a small group of experiments can increase our confidence that a virus is capable of causing a new pandemic. For animal viruses, they include measuring the ability of its entry protein to mediate infection of relevant primary human cells, the growth of the virus or a chimera in such cells, and viral transmission between animal models. If enough of the measured values approach those of an endemic human virus of the same family – which must be highly transmissible due to its ability to circulate even though much of the population is immune from prior exposure – then the animal virus is likely pandemic-capable. For human viruses engineered in ways that would not occur in nature, experiments measuring the extent to which they can evade innate, antibody, and T-cell immunity could similarly identify those that are pandemic-capable.

Box 1: Examples of key experiments that can increase our confidence that a virus is pandemic-capable


1. Quantify the growth of a zoonotic virus or viral backbone in relevant human primary cells
2. Quantify the transmissibility of a zoonotic virus in a relevant animal model
3. Quantify the extent to which an engineered human virus evades preexisting humoral immunity
4. Quantify the extent to which an engineered human virus evades preexisting cellular immunity
5. Quantify the extent to which an engineered human virus evades preexisting innate immunity

These pandemic virus identification experiments are the virological equivalents of nuclear testing: until they are credibly performed, no one will believe that an actor could use an agent to kill millions. Because computational approaches cannot yet predict pandemic capability and will struggle to do so in the absence of datasets generated by these types of experiments, preventing them from being conducted and the results from being published can effectively delay the dissemination of information sufficient to cause pandemics.

In nuclear physics, the proliferative consequences of discovering a much more accessible path to nuclear weapons would be immediately obvious to the inventors, who would never consider publicly sharing the information. Security concerns are less salient in the current culture of the life sciences, as evidenced by the number of projects explicitly intending to create⁴⁰, identify⁴¹, and publicly share a list of viruses ranked by apparent threat level⁴². Even if identifying a pandemic-capable virus in nature allowed us to perfectly prevent that pathogen from spilling over into humans, there are thought to be over a hundred times as many pandemic-capable viruses at any given time as there are severe natural pandemics in a typical century, making it highly unlikely that any identified virus will go on to cause a natural pandemic⁴³. Since a single zealot can assemble and release any pandemic viruses that have been identified by others, including many at once, a mere 1 per cent annual risk that each identified virus will be deliberately released predicts that credible pandemic virus identification will kill a hundred people for every person it might save (Box 1).

Now that the COVID-19 pandemic has demonstrated that pandemics are still able to kill more people than any nuclear detonation, and any identification of such an agent would clearly give access to many zealots who cannot be deterred, nations can take steps to change norms and incentives. To prevent proliferation, policymakers can reform or halt existing programmes supporting such research, block the sharing of complete genome sequences of new viruses in favor of omitting critical pieces required for assembly but not research into countermeasures, disincentivise laboratories from performing the relevant experiments through regulation, or ban them outright. For example, nations might automatically apply the most stringent available regulatory status to any virus that tests positive in a single pandemic identification experiment – such as the Select Agent list in the United States – so any laboratory performing such an experiment would risk greatly increasing its own research costs. Functional equivalents of listed agents generated through recombination with other agents, by applying directed evolution, or through the use of computational design tools should be similarly regulated.

Figure 4: Deliberate pandemic risk



Box 2: What is the likelihood that a zealot will release a pandemic-class agent in a given year?

Misuse is a function of the distribution of zealots with some nonzero level of intent, the requisite skills, comparatively inexpensive laboratory resources, and knowledge of which agents could cause pandemics. As of this writing, it doesn't matter how many zealots have the necessary skills and resources – there is currently no information in the public domain permitting them to reliably ignite a new pandemic*.

As soon as someone credibly identifies and publicises a pandemic-capable virus, many zealots will hear of it, so the expected rate will jump from zero to something higher. The number of zealots and their odds of success are difficult to quantify, but the existence of historical zealot mass murderers such as Seiichi Endo – whose modern equivalents would unquestionably possess the necessary skills and resources to assemble and release a publicly known self-spreading virus – suggests the number is not trivial. Add other historical zealots such as Ted Kaczynski, whose modern equivalent would likely seek training to harness what he called "the immense power of biotechnology" to bring down the industrial system, and a 1 per cent chance per year appears to be a quite conservative estimate. Because such an attack could be released in multiple travel hubs simultaneously, it could not be contained with current tools: as in the old security aphorism, any system demonstrably vulnerable to accidents is helpless against a deliberate attack.

If a second pandemic strain were validated and put into the public domain, the odds of a deliberate pandemic would approximately double, for however many zealots are out there trying to start a pandemic, and however capable they may be, they would reasonably attempt to assemble and release the second virus in parallel, with a similar probability of success. At some point, the zealots' capacity to build agents in parallel will be exhausted, so the odds would not continue to scale with the number of strains – but even if some strains are already in the public domain, it is still worth trying to prevent new ones from being added.

* The virus responsible for smallpox is minimally accessible due to size and difficulty of assembly and a vaccine stockpile of 300 million doses stands ready to extinguish any attempts, acquired immunity to SARS-CoV-2 is cross-protective against SARS-CoV-1, and most of the population has been exposed to circulating influenza strains that are protective against 1918 influenza virus, which in any case killed most victims through secondary bacterial infections that today would be treatable with antibiotics.

Even more importantly, nations can make it clear that those whose actions directly lead to major catastrophes may be held liable, including actions that permit misuse by others. Today, the negative externalities of actions with a small but nontrivial chance of causing catastrophe are seldom factored into decision-making. Indeed, there are no quantitative risk-benefit analyses of pandemic virus identification research at all. Introducing generalized catastrophe liability with a high threshold, such as ten million or more global deaths, and requiring institutions to purchase insurance will ensure that rare yet devastating negative externalities are evaluated by professional risk analysts and priced into operating costs. While no reinsurance market could cover the full cost of a major pandemic, the value of the insurance might be capped at a large fraction of the reinsurer's assets and still obtain most of the benefits⁴⁴.

Internationally, the Biological Weapons Convention prohibits “assisting others in acquiring biological weapons”, although it explicitly encourages “the fullest possible exchange of information” in Article X. Nations could invoke Article VI's procedures for alleging violations to determine whether the latter includes giving tens of thousands of individuals access to agents permitting them to kill millions single-handedly, but given the expansiveness of Article X and the lack of verification measures, it would be more effective to forge a new agreement narrowly targeting the identification and associated proliferation of pandemic-class agents.

A pandemic test-ban treaty modelled after the Nuclear Test Ban Treaty would explicitly ban the dissemination of results from the handful of experiments capable of substantially increasing our confidence that a natural or synthetic virus can cause a new pandemic. Crucially, blocking these experiments would not impede vaccine or antiviral therapeutics research; they are only useful to assess pandemic capability, and whatever the benefits of targeted spillover prevention efforts may be, they do not appear to outweigh the expected harms of misuse (see Box 1) given that many more pandemic viruses exist in nature than will spill over. Unlike nuclear testing, which generates an unfalsifiable seismological signature, the results of pandemic virus identification experiments are easily faked, so any data presented by rogue actors seeking to threaten others will be doubted until independently verified. To successfully block proliferation, the treaty need only prevent reputable but security-naïve parties from performing the experiments and disclosing the results.

Recommendation 1: Automatically apply safety and access control regulations as soon as a single pandemic virus identification test indicates potential pandemic capability. Any functional equivalents generated by a design process that uses a regulated agent as input should be similarly regulated.

Recommendation 2: Make anyone disclosing a pandemic-class agent or a method of increasing harm from such an agent liable in the event of sufficiently catastrophic damages, including from misuse by others. Extend this liability between nations where possible. Require that all private and public general liability insurance cover catastrophe liability, causing professional risk analysts to create numerical risk assessments in order to price rare but catastrophic negative externalities into the annual operating costs of institutions, including those performing research relevant to pandemic-class agents.

Recommendation 3: Enact a new pandemic test-ban treaty to forbid pandemic virus identification experiments worldwide. Redirect funds supporting such research to a “1-10-100k” plan: empower communities at high risk of zoonotic spillovers to sequence the responsible agent within 1 day of detecting an epidemic, and within 10 days, manufacture 100,000 rapid diagnostic tests and 100,000 nucleic acid vaccine candidates for use in a combined Phase 1+2 ring vaccination trial to contain the outbreak.

B. Information denial: novel hazards

Avoid publicising any potentially accessible threat to civilisation without a reliable plan to obviate it before potential adversaries can exploit the vulnerability

The identification of natural pandemic-capable viruses and of mutants with enhanced transmissibility generated through so-called “gain-of-function” research pose the most serious near-term catastrophic proliferation risks⁴⁵, but future “dual-use” biotechnologies are also likely to generate novel pandemic-class agents. The current culture of the life sciences encourages disclosure, so any identification of these technologies as hazardous after their development will likely result in attempts to “warn the world”, thereby making the threat credible and triggering immediate proliferation. For

example, the high-profile assembly of horsepox virus was widely described in both the scientific literature⁴⁶ and mass media⁴⁷ as a way for malevolent actors to acquire infectious samples of smallpox, with still worse possibilities discussed openly⁴⁸. As long as the culture of the life sciences continues to encourage public disclosure as the optimal course of action in all cases – a view sharply at odds with best practices in cyber security, in which newly identified threats should not be made public until an effective patch or countermeasure is readily available, as well as in physical security, in which the Secret Service does not publicly discuss the best ways to assassinate the US President – then training biologists to recognise dual-use research will do more harm than good.

Instead, nations can require external security reviews of requests for proposals by funders to increase the chance that catastrophic hazards will be identified before development, when mitigation is still feasible. Rather than updating existing checklists of research categories that could be reverse-engineered into recipes for weaponization, articulating simpler principles can help discourage or de-risk catastrophically dual-use experiments before they are performed, as well as distinguish studies relevant to pandemic-class agents from more conventional dual-use experiments more analogous to chemical weapons. A simplified framework for potentially catastrophic dual-use research in the life sciences might ask just two questions:

- Could this research allow a nucleic acid to spread exponentially across much of the world?
- Could this research cause an exponentially spreading nucleic acid to inflict greater harm?

The first question determines whether the technology might be used to create a pandemic-class agent, and therefore the scale of the potential misuse. The second determines the severity of the harm. This framework can also assist technology developers in determining how best to proceed.


The least hazardous type of pandemic-class agent clearly favours defence: it is slow, easily detected, and readily countered using already-existing technology. An example is CRISPR-based gene drive⁴⁹, which uses recurrent genome editing to exponentially spread an engineered trait through a wild species. The technology could be used to help eradicate diseases such as malaria and schistosomiasis, but could also crash populations of keystone species or cause ubiquitous organisms to more efficiently vector pathogens. Upon first conceiving of the technology, I refrained from disclosing it to anyone until confident that it favoured defence: it takes many generations to spread, has an unmistakable genomic signature, and can be reliably overwritten using an “immunising reversal” gene drive system. The first experiment testing CRISPR-based gene drive in the laboratory confirmed that overwriting was effective, and we only reported the outcome because reversal worked⁵⁰.

In the middle are those pandemic-class agents analogous to most exploits in cyber security: those for which a countermeasure appears to be technically feasible, but is not yet available. For example, a novel agent that spreads more slowly than HIV would qualify, because a vaccine – if successfully developed – could be distributed far more quickly than the pathogen could spread. As is standard in cyber security, researchers who discover such a biological threat should avoid publicly revealing its existence while privately developing a means of neutralising it, ideally by contacting funders with a record of support for mitigating catastrophic biological risks.

The most hazardous type of pandemic-class agent is one for which population-scale countermeasures cannot be developed and distributed with any current or near-future technology. Like nuclear missiles, such agents are effectively unblockable if they are deliberately released. Researchers who stumble across such a technology can only refrain from disclosure and pursue safer alternatives in an attempt to satisfy the rationale for the original line of research, thereby discouraging independent re-discovery.

In each of these cases, the world benefits when risks are privately identified before public disclosure, ideally in advance of laboratory development, underscoring the importance of external security reviews. Under no circumstances should health or development agencies be allowed to review their own proposals for security concerns, or to appoint (and dismiss) their own oversight boards, as is currently true of the US National Institutes of Health. In addition to funder reviews, policies encouraging early-stage peer review of proposals in high-risk fields would likely accelerate beneficial research while improving the chance that potentially harmful advances will be identified before they occur. To begin establishing norms of caution and early review surrounding exponentially spreading biotechnologies, the World Health Organization could establish a research registry for gene drive⁵¹ and similar defence-favouring technologies capable of autonomous spread.

Figure 5: Security implications of access to gene drive and to pandemic agents



Changing norms across the life sciences will not be easy. The simplest and most effective action would require the editors of the highest-profile

journals to issue a joint statement acknowledging that whatever its origin, COVID-19 has demonstrated that civilisation is vulnerable to pandemic agents that were not deliberately released, and that any system vulnerable to accidents is helpless against a deliberate attack. Accordingly, they will not under any circumstances publish research that could be deliberately misused to catastrophic effect, including upholding any decision made by another journal that previously evaluated the paper and judged it too risky to publish. As previous efforts arguably failed due to scepticism over the accessibility of viruses and the world's vulnerability to pandemics, now is the time to try again. Such a statement would do much to reshape the current harmful incentives governing academic research⁵², substantially delaying the public identification of engineered pandemic-class agents.

Recommendation 4: Ensure independent oversight of life science research in all leading nations: require security experts to review requests for proposals, mandate numerical cost-benefit models of proposals alleged to pose catastrophic risks, encourage early-stage peer review, establish research registries for all experiments involving gene drive systems or other exponentially spreading biotechnologies, and make institutions and journals liable for the consequences of any catastrophic misuse.

Recommendation 5: Convene high-profile journal editors to agree upon a joint statement that they will never knowingly publish any manuscript posing even a small chance of catastrophic misuse.

C. Physical denial

All biological engineering requires custom DNA synthesis


Virus assembly protocols enable infectious viruses to be generated from a string of nucleic acids matching the genome sequence of the virus in question⁵³. This string can be generated through DNA synthesis. The price of gene-length synthetic DNA has fallen by a factor of a thousand since the first synthetic poliovirus was generated in 2002⁵⁴. DNA constructs of length sufficient to generate infectious 1918 influenza virus can now be obtained for US\$1,500; coronaviruses cost approximately US\$2,000, but typically must be enzymatically stitched together by hand prior to virus generation, limiting (for now) the number of capable individuals to those also skilled at

modern biotechnology⁵⁵. The laboratory equipment and reagents required for these tasks can typically be obtained for less than US\$50,000.

Members of the International Gene Synthesis Consortium, an industry group, screen DNA synthesis orders for hazards and check backgrounds and permissions before delivering potentially dangerous sequences⁵⁶. However, the process is voluntary and there is no ongoing verification to ensure that providers continue meeting the industry standard⁵⁷. While the consortium supplies an estimated 80% of the global market, other providers presumably do not screen orders due to the cost of paying human experts to look at ambiguous orders thrown up by screening software, which is notorious for generating false alarms⁵⁸. Worse, next-generation “benchtop” synthesis devices threaten to transition the market from large centralised providers that can be induced to screen orders and customers to a decentralised network of devices that may struggle to accomplish either type of screening. Any device that stores a copy of its screening criteria on the device itself is inherently vulnerable to these criteria being extracted and published, thereby giving every malicious actor infinite attempts to bypass them. In addition, the most reliable hardware security methods cannot be applied to local criteria that must be updated to detect newly identified agents. Therefore, any DNA synthesis machine that does not require a secure network connection to an external, regularly updated screening system in order to function will serve as a perpetual source of agents with nuclear-level lethality.

There are promising developments on the horizon: a joint Nuclear Threat Initiative/World Economic Forum project has been convening stakeholders to define new standards for customer screening⁵⁹, while the international SecureDNA project, a joint collaboration between European, Chinese, and US academics and software developers, is building a fully automated and cryptographically secure screening system with a negligible false-alarm rate⁶⁰. SecureDNA, which will be operated by a neutral Swiss foundation, will be offered as a free centralised service to synthesis providers and device manufacturers throughout the world. By sending cryptographically uninterpretable orders to a remote screening service, it can protect networked benchtop devices without order information leaving the device, thereby protecting trade secrets. SecureDNA can also screen for emerging hazards without disclosing threats that are not yet public, a capability that will become increasingly important as biotechnology advances. For example, inviting scientists to disclose threats to authorised screening system curators rather than attempting to warn the world could simultaneously crowdsource threat identification while minimising the number of actors who learn about each vulnerability.

Figure 6: DNA synthesis screening and access to pandemic-class agents



(a) Under the current system, a scientist who warns the world of a pandemic-class agent inadvertently provides widespread access to skilled "lone wolf" actors who rely on commercial DNA synthesis, as well as well-resourced actors who do not. (b) Universal DNA synthesis screening can prevent lone wolves from accessing the hazard once it is known, but cannot block well-resourced actors. (c) Universal screening for emerging hazards will allow scientists to report new pandemic-class agents to a curator to be added to the screening database along with many plausible "decoy" sequences. This allows orders to be screened for the threat without disclosing its existence, and lightly discourages new experiments involving the hazard or decoys by requiring scientists who do not already work with the relevant sequences to inform their biosafety committee before they can obtain the DNA.

Recommendation 6: Require all DNA synthesis requests placed or fulfilled within national boundaries to undergo screening for hazards as soon as a screening system is freely available. Two years after such a system becomes available, require that all devices capable of DNA synthesis or gene assembly incorporate built-in screening that can be immediately updated to account for new hazards and does not store screen criteria on the device itself.

D. Deterrence

Attacks that cannot be blocked might be deterred – unless the adversary is a zealot

Powerful nations, rogue states, and extremists with access to pandemic-class agents can be deterred from threatening others in several different ways. Firstly, the Biological Weapons Convention has created strong norms that could be strengthened by a pre-commitment to oppose any actors who threaten to use pandemic-class agents, declaring them – in what may be the most appropriate use of the term – *hostis humani generis*⁶¹, i.e. an enemy of all humankind. Secondly, while a pre-commitment to retaliation could theoretically help deter use, it could easily be exploited using false-flag attacks to set nations against one another. Instead, nations can foster and highlight “genetic attribution”, microbial forensics, and traditional human and signal intelligence methods capable of swiftly identifying those responsible for design, manufacturing, and release⁶². Finally, defences can be advertised as soon as they become available in order to deter misuse, as the United States has done with its stockpile of smallpox vaccines. Since adequate defences are unlikely to be available for all of humanity in the near-term or even medium-term future, it is especially important for prepared nations to deter enemies from using biological agents that would also strike the poor and vulnerable.

Zealots cannot be deterred except by credibly advertising that all possible methods of attack accessible to them will fail. Until the world develops reliable methods of detecting and containing pandemic-class events, intelligence agencies should closely monitor extremists with potential omniscient tendencies and their connections to individuals with the technical skills to assemble pandemic-class agents.

Box 3: Extremist beliefs potentially associated with zealots who may release pandemic-class agents:

1. Ecology: humanity is a plague upon the natural world that should be forcibly controlled
2. Apocalypse: the mass death of civilians is required to bring about societal renewal or heaven on earth
3. Technology: industrial society must fall to prevent future advances incompatible with human dignity
4. Hatred: no price is too high when it comes to destroying the enemy
5. Pain: the world is so full of suffering that it would be best if future people are never born
6. Despair: a world without <disappearing cultural group, belief, or way of life> does not deserve to exist

Recommendation 7: Identify all extremist groups with ideologies suggesting that mass civilian casualties, the collapse of civilisation, or the extinction of humanity would be a tolerable or desirable outcome. Apply human and signal intelligence methods to detect and monitor all connections between affiliates of such groups and individuals with the technical skills to assemble pandemic-class agents.

IV. Detection

Exponentially growing threats are exponentially easier to contain when detected early


A. Reliable detection

Everything biological is made of nucleic acids, and all pandemics spread exponentially, so detecting exponentially increasing nucleic acids can provide reliable early warning

All pandemic-class agents are encoded by nucleic acids and exhibit exponential growth on some timescale. Therefore, any system capable of detecting exponentially growing patterns of nucleic acid fragments should be capable of reliably detecting any and all catastrophic biothreats, including stealthy agents analogous to HIV that might otherwise infect most of humanity before exhibiting any visible clinical effects⁶³. A nucleic acid observatory that performs untargeted metagenomic sequencing of all nucleic acids across relevant human and natural ecosystems would serve as a reliable early warning system, one that neither adversaries nor natural pandemics could evade.

Building such an observatory appears to be extremely affordable relative to traditional defense budgets. In the United States, a system performing untargeted metagenomic sequencing of wastewater⁶⁴ from all 328 ports of entry could likely be operated for under a billion dollars a year at-cost; systems in smaller nations would be less expensive⁶⁵. A basic global version would monitor numerous air traffic hubs throughout the world by sequencing wastewater or air filters from aircraft and airports, or possibly clinical samples from flight crews, for as little as tens of millions of dollars a year. With the bulk of the expense arising from the sequencing itself, the cost is expected to continue falling faster than Moore’s Law.

Figure 7: Reliably detecting subtle threats



A nucleic acid observatory could perform untargeted metagenomic sequencing of wastewater or air filters from travel hubs and samples from natural waterways. Searching for sequences that grow exponentially at a single site or appear across multiple monitoring sites can reliably detect any agent undergoing exponential growth – a pattern characteristic of all pandemic-class threats – even in the absence of clinical evidence.

A single nucleic acid observatory monitoring site can only detect a pathogen when the frequency of the sequence fragments in question has detectably risen in an exponential pattern, but a network of sites can detect the same pattern of sequence fragments as it first becomes visible at multiple locations. By monitoring their busiest global air traffic hubs and sharing results with one another, nations can detect subtle pandemic agents that might otherwise spread to most of humanity as early as possible. Observatories can subsequently expand to sequence waterways in order to detect gene drive systems and other agents capable of spreading through the environment.

B. Sensitive detection

Targeted amplification can map the extent to which a known threat has spread

Methods that use probes to target specific sequences from known agents are considerably more sensitive than untargeted sequencing. These targeted methods range from simple polymerase chain reaction (PCR) and sequencing to selectively pulling down nucleic acids with oligo probes⁶⁶ to novel CRISPR-based diagnostics⁶⁷. Because adversaries may learn which sequences are targeted and engineer agents to evade detection – or use agents that were previously unknown – targeted amplification cannot be the primary method of detection, but it can be applied to search for existing hazards and be swiftly updated when a new threat is detected in the clinic or by untargeted methods. For example, nations are already establishing targeted wastewater monitoring systems for public health applications⁶⁸, which can be swiftly adapted to detect newly discovered agents in order to map the extent of their spread throughout the world.

Recommendation 8: Contribute to a global early warning system capable of reliably detecting pandemic-class agents. Perform daily untargeted metagenomic sequencing of wastewater at major air traffic hubs, including sewage from arriving flights, to continuously monitor all pathogens. Explore the possibility of performing similar sequencing of air filters. Share the results internationally to hasten the early detection of adversarially-designed pandemic-class agents that may not be clinically detectable. Ensure that targeted monitoring systems can map the spread of any newly identified agent within days.

V. Defence

The only reliable way to defend against a pandemic-class agent is to prevent infection

Conventional pandemic defence relies on medical countermeasures. For example, over two-thirds of funds requested by the American Pandemic Preparedness Plan (AP3) were to be allocated to biomedicine⁶⁹. Given that we still lack vaccines capable of protecting against natural viruses such as HIV, it is safe to assume that it will not be possible to block the effects of some pandemic-class agents with any form of medical countermeasure.

Worse, even though an effective nucleic acid vaccine can now be designed within 24 hours of sequencing the genome of a pandemic-class agent⁷⁰, the testing, approval, manufacturing, and especially distribution process will not be able to match the speed of viral spread. The AP3 and G7 plans call for a vaccine within 100 days of sequencing the genome of an emerging pandemic virus⁷¹, but 100 days after the omicron variant was sequenced in South Africa on 11 November 2021, it had infected a quarter of the United States⁷² and as much as half of Europe⁷³. Pandemic-class agents deliberately released in multiple airports would spread considerably more rapidly.

Broad-spectrum vaccines and antivirals that function against entire families of viruses are highly desirable and should be developed and stockpiled if at all possible, but they are also unreliable: any great power, most rogue states, and even unusually competent extremists or zealots are capable of engineering pandemic-class agents to resist or evade publicly known medical countermeasures. The unreliability of medical countermeasures should not prevent nations from investing in rapid nucleic acid vaccine production facilities worldwide, preparing to immediately launch combined Phase 1+2 ring vaccination trials in response to outbreaks, and supporting research into receptor decoys⁷⁴ and therapeutic interfering particles⁷⁵ capable of slowing the spread of a virus. But none of these constitutes a reliable defence against agents anticipated to become accessible to individual zealots. Reliably preventing harm from pandemic-class agents requires looking beyond biomedicine.


A. Active defence: equipment

Protecting essential workers from pandemic-class agents can immunise society against biological catastrophe

The best way to ensure food, water, power, law enforcement, and healthcare will continue to be distributed during a 90% lethality pandemic is to equip the workers who provide those services with sufficiently protective equipment. Cost-effective pandemic-proof personal protective equipment (P4E) has yet to be developed, but likely does not require fundamental advances. It is equipment that, when worn by an untrained person, completely blocks external access to all human cells that could be subverted and used to replicate a pandemic-class agent, harm the wearer, or both.

Equipment is only protective if worn, so P4E must be exceedingly comfortable, ideally even stylish, and leave most or all the wearer's face visible to permit normal social interaction. Essential workers wearing it must be willing to do their jobs during a high-lethality pandemic. In a world containing viruses such as measles, which typically infects more than 90% of vulnerable individuals exposed to a single case⁷⁶, spreads readily through ventilation systems⁷⁷, and can infect people who arrive up to two hours after the index case has departed⁷⁸, this is a tall order.

Figure 8: Safeguarding essential workers with pandemic-proof protective equipment (P4E)



Any society that can continue distribution of food, water, power, order, and healthcare remains intact. Identifying all essential workers and providing them with sufficiently protective equipment can preserve civilisational stability in the face of any overt human-targeted biological threat, provided that workers are confident that the equipment will protect them during a high-lethality pandemic.

Standard P4E for most essential workers in areas other than healthcare should optimize for protection against the explosive spread of respiratory viruses. Such equipment would likely take the form of an improved powered air-purifying respirator (PAPR), which uses a battery-powered air pump to deliver sterilized air to a mask covering the user's nose and mouth. The goal is to ensure that all air touching the wearer's mucus membranes has been filtered or otherwise sterilized to remove harmful particles, while simultaneously preventing the wearer from accidental self-infection after touching a contaminated surface. P4E should still function even if worn improperly or the user lifts part of the mask off their face in order to adjust the fit, and must be compatible with hydration and liquid nutrient delivery to enable long-term use.

Estimates of infectious doses are highly imprecise, but if measles patients emit >100 infectious units per minute that linger for >100 minutes⁷⁹, anyone sharing a small room might be exposed to as much as 10,000 units. Extremely effective HEPA filters are least so for measles-sized particles, so correctly wearing a HEPA-filtered PAPR in perfect condition would reduce this exposure to 1-6 units; adding germicidal LEDs would offer full protection. But if the PAPR is covered in an agent that is also surface-transmitted, the wearer takes off the P4E while touching its exterior, then rubs a now-exposed mucus membrane, they could become infected. Preventing this outcome will require a design enabling safe doffing and sterilization of the PAPR before re-use. Some healthcare workers will require additional protection from fluid-transmitted agents such as Ebola. Commercial providers already offer suitable apparel for this purpose⁸⁰ that might benefit from making the gown component reusable.

P4E may be designed, developed, and manufactured by nonprofits or by for-profits seeking to serve the immunocompromised, but governments may be the only buyers capable of purchasing enough to guard populations against pandemic-class agents. There is no silver bullet against catastrophic biological threats, but the combination of a reliable early warning system with sufficiently protective and trusted P4E in the hands of essential workers can render nations virtually immune to pandemic-class agents – if the supply and distribution chain can provide all necessary materials and services.

Recommendation 9: Support the development of pandemic-proof personal protective equipment (P4E) designed to reliably prevent infection by all respiratory pathogens, to be used by the immunocompromised, the elderly, and healthcare workers. Further develop versions for healthcare workers that also guard against fluid-mediated infections.

B. Active defense: resilient production

Resilience requires identifying and protecting essential workers and hardening supply chains

Ensuring that the most vital workers who must interact with other people can be given access to P4E within days requires defining precisely who they are. The daily distribution of food, water, energy, and law enforcement are the bare essentials of society⁸¹. In the United States, food and water production (2.7%), warehousing and distribution (1.2%), energy (0.4%), and police and national guards (0.3%) comprise 4.6% of the total population⁸². Adding healthcare (5%) and critical manufacturing (0.6%) adds up to just over 10% of the population requiring access to P4E, although some of these may work in isolation. Other categories of workers defined as essential bring the total to 16.5%⁸³, but since this includes financial services – a notably remote-friendly occupation – and amounts to a third of the workforce, the 10% figure may be more accurate. Nations should carefully identify their essential workers, convey the importance of their role in a catastrophe, and develop and test plans to distribute stockpiles of P4E immediately upon receiving early warning.

Because some pandemic-class agents such as HIV may exhibit long infectious periods, and much of the global supply chain may shut down during a pandemic-class event, there is a major risk that vital and effectively irreplaceable equipment for the distribution of food, water, energy, and healthcare will fail during an extended pandemic. Nations should perform network vulnerability analysis⁸⁴, identify local sources of these items, and create strategic stockpiles as needed. They should identify systems that could be effectively operated remotely and install engineering controls to protect workers by keeping them isolated from others while performing vital tasks.

Recommendation 10: Identify all essential workers, convey the importance of their roles and the plan to protect them at all costs, maintain robust production lines for the manufacture of pandemic-proof personal protective equipment, generate sufficient stockpiles, and arrange for its swift delivery to essential workers when needed. Additionally, identify and arrange for the stockpiling and delivery of essential components for key equipment required for the provision of food, water, energy, law enforcement, and possibly healthcare that will no longer be available when global supply chains break down.

C. Active defense: diagnostics + personalized early warning

Knowing how many connections have been infected can change behavior and prevent others from being exposed


Covid-19 demonstrated that swiftly identifying the infected can help curtail the spread of a pandemic agent by encouraging self-isolation and behavioral changes by close contacts, which could include donning P4E. In principle, most pandemic-class agents could be controlled if the entire population is tested daily using a rapid, sensitive, and specific diagnostic, but only if the test is sensitive before the individual is maximally contagious and most of the infected are willing to self-isolate, neither of which is guaranteed. The challenge is to develop, manufacture, and distribute diagnostics faster than an exponentially growing biological agent seeded at a dozen sites can spread. This may be achievable for some pandemic-class agents using rapid antigen tests and especially CRISPR-based diagnostics⁸⁵ and other methodologies developed during Covid-19. Ensuring that these rapid diagnostics will be available to everyone in an afflicted region within days of identifying a new pathogen will be essential to containment. General methods of reliably detecting signs of acute infection with any viral or bacterial pathogen through physiological biomarkers may offer a version that could be prepared in advance, but such tests would not be specific, nor effective against all threats.

If daily testing of everyone in an afflicted region is not possible, as is likely in much of the world, the utility of each positive diagnostic test can be magnified with contact tracing, especially bidirectional tracing, to identify and isolate those exposed⁸⁶. Exposure notification systems based on smartphone proximity⁸⁷ as determined by Bluetooth⁸⁸ and/or ultrasound⁸⁹ can supplement human tracers. However, even the best test-and-trace systems will likely fail when confronted with fast-replicating agents such as influenza virus, which is often transmitted just ~2.5 days after infection⁹⁰.

A more effective way to curtail the spread of all pathogens would preemptively warn individuals to alter their behaviour as soon as they are personally at increased risk of infection. For example, people could be notified when the first friend-of-a-friend-of-a-friend has been infected, or even provided with information on the fraction of individuals infected at one, two, three, four, and five degrees of connection away from them. This would spur preemptive behaviour changes to reduce exposure at a population level, but only for those actually at risk, eliminating the need for lockdowns at low frequencies⁹¹.

Crucially, connection-based methods need not require individuals to report their own positive tests, instead allowing them to anonymously report that a first-degree contact was infected without specifying which one, albeit at some risk of false reports. Such a system consequently becomes effective

Figure 9: Personalized Early Warning



when only a small fraction of the population has opted in. A centralised app, NOVID⁹², pioneered many of these capabilities, but decentralised versions are also possible. Because connection-based warning systems can be built and kept inactive until there is a pandemic emergency, and then only recording information relevant to social connections in encrypted and unusable form in each user's device, there is no need to trade privacy for protection until confronted with a threat – and with advances in cryptographic implementations, possibly not even then⁹³.

Recommendation 11: Ensure rapid diagnostic tests will be available soon after identification of a new threat to enable daily testing if necessary. Incorporate a connection-based early warning system into major smartphone operating systems, to be activated only when the next pandemic is identified, in order to provide individualised risk evaluations to all smartphone users.

D. Passive defense: transmission-blocking infrastructure

Safe pathogen-killing light and better ventilation can block transmission without requiring human action

Active defences will be most effective during high-lethality pandemics, when the fear of infection could otherwise disrupt essential services to the point of collapse, but they require willing adoption. SARS-CoV-2 has highlighted the need for passive defences capable of containing more subtle agents that may not be recognized as a serious threat by much of the population. The 36 million casualties of the ongoing HIV epidemic⁹⁴ underscore the harm that can be inflicted by extremely subtle pathogens.

Passive defences automatically prevent infections while people go about their day-to-day lives. Crucially, any passive defence capable of substantially impeding the spread of a novel pandemic agent would also suppress or outright eliminate many or even most endemic human viruses and pathogenic bacteria. Since economic losses from common infectious diseases in the United States reached an estimated ~\$300 billion in 2017⁹⁵, or about \$2,000 per worker, employers will be strongly incentivized to install any defences capable of reducing these losses in a cost-effective manner as soon as they have been developed.

Traditional passive defences, which use ventilation and occasionally upper-room germicidal irradiation to modestly reduce transmission⁹⁶, do not obviously meet this bar. Aircraft, which boast over 20 air exchanges per hour when the ventilation system is active, offered considerably greater safety from SARS-CoV-2 infection than other indoor environments⁹⁷. While effective, upgrading ventilation to the level of aircraft – let alone higher – is expensive and often noisy, especially if air must be forced through a HEPA filter. Germicidal ultraviolet light, which can now be generated efficiently by LEDs, offers a somewhat lower-cost alternative: placing such lights in upward-pointing fixtures in rooms with high ceilings can eliminate aerosolized pathogens without harming humans⁹⁸. Improving germicidal surface coatings and exploring better methods of hand sanitization, and especially promoting social customs that can block transmission, are worth pursuing. However, such interventions will struggle to completely block the

transmission of highly infectious agents in crowded indoor areas, especially those with low ceilings.

“Low-wavelength light” between 200 and 230 nanometers may provide a solution⁹⁹. Like higher wavelengths in the ultraviolet spectrum, such light can effectively kill viruses and bacteria in aerosols and on surfaces. Unlike higher wavelengths, it cannot penetrate the outermost layer of human eyes and skin¹⁰⁰. Light below 230nm is absorbed increasingly efficiently by proteins, which constitute 60% of the dry mass of eukaryotic cells. The outer surface of human skin is composed of a layer of protein; the tear film covering the eyes is also rich in protein¹⁰¹. As a result, humans tolerate levels of 222nm light hundreds or thousands of times greater than doses of higher wavelengths that cause skin damage and irritation¹⁰². Due to its dramatically greater biological safety relative to germicidal UV-C, “low-wave” light – which is somewhat misleadingly termed “far-UVC” and deserves a more accurate moniker – could constitute an extraordinarily effective pandemic defence.

Every 1-2 mJ/cm² of 222nm light reduces the concentration of airborne or surface-associated infectious pathogens by approximately 90%¹⁰³. Studies of eye safety in rats suggest that exposure to 3,500 mJ/cm² causes no visible effects¹⁰⁴, and eyes receive at most 5.8% of the maximum amount delivered by an overhead lamp¹⁰⁵. Much higher levels are tolerated by human skin, with 18,000 mJ/cm² causing only a slight bronzing – which can be removed by applying and removing tape – and no observable DNA damage in replicating cells¹⁰⁶. Hairless mice prone to skin cancer that were subjected to 396 mJ/cm² for five days per week over the course of 66 weeks exhibited no effects¹⁰⁷. While very high levels of such wavelengths can generate ozone, new catalysts¹⁰⁸ and should be able to keep levels well below those known to be safe.

These studies collectively suggest that low-wave light is exceptionally safe, but they are sufficiently few in number that the American Conference of Governmental Industrial Hygienists (ACGIH) cautiously set its Threshold Limit Value for overhead exposure of 222nm light to skin at just 478 mJ/cm² per day, nearly 20 times below the highest acute dose delivered to a human volunteer without apparent ill effect¹⁰⁹. The International Committee on Non-Ionizing Radiation Protection (ICNIRP) has declined to adjust its limits until multiple new safety studies are performed. Developing low-wave light as a passive defence will require a coordinated plan of research and development focused on safety, efficacy, and efficient generation, most likely by newly developed LEDs.

The most immediate priority is to determine the level that would be safe if low-wavelength fixtures were installed in every building, then raise the international exposure limits accordingly. In addition to rigorously testing both peak and chronic exposure to eyes and skin at suitably high levels in animals and human volunteers, future studies must examine any changes

in the human skin microbiome and effects on animals with open wounds, which lack the layers of protein and non-replicating cells that normally shield eyes and skin. To identify and assess all potential risks, field experts should issue an open call for suggestions and concerns from the general public, identify knowledge gaps, then design suitable experiments while avoiding conflicts of interest. Funders who recognize that 200-230nm light represents one of our best potential defences against catastrophic biological threats can then sponsor labs around the world to perform these pre-registered experiments in replicate. ICNIRP and ACGIH, as nonprofit groups that strive to avoid all conflicts of interest, can then evaluate the resulting data and set their guidelines to the appropriate level.

Figure 10: Low-wavelength light eliminates pathogens without penetrating skin or eyes





Figure 11: Demonstrated efficacy of 222 nanometer light at eliminating pathogens



Images adapted from from refs¹¹¹.

In parallel, experiments can examine epidemiological efficacy. Low-wave light is clearly germicidal, but the extent to which it can block transmission in animals and especially in human populations remains untested. As a first test, performing classical animal transmission studies in mice, hamsters, guinea pigs, or ferrets with and without low-wave light could directly measure efficacy against different pathogens and modes of transmission. More directly relevant studies can be performed in the United States by partnering with institutions that operate at multiple locations. Installing KrCl excimer lamps or LEDs in compliance with the ACGIH limits, randomly choosing half of the locations to turn them on, and then testing occupants for infection by all known human pathogens over the course of a year could quantify transmission-blocking effects on employee health and estimate employer cost savings. These tests would be maximally informative in comparatively isolated environments, such as long-haul commercial or military ships, which can best mimic the effects of widespread installation. As KrCl fixtures cost \$10–20,000 per 100 square meters (~1000 sq. ft) per year at current market prices, such lamps may suppress the spread of common pathogens enough to justify widespread installation. Had they been sufficiently ubiquitous, low-wavelength lamps might even have prevented the spread of SARS-CoV-2 without other interventions.

However, ubiquitous KrCl excimer lamps alone would likely fail to contain a novel pandemic agent as contagious as measles, which probably requires a method of safely eliminating microbes from the air between people engaged in conversation. Delivering 1 mJ/cm² per second, which would suffice for short-range aerosols if not necessarily larger respiratory droplets, adds up to 28,800 mJ/cm² over 8 hours, which future studies may demonstrate is safe. But even if not, such levels are only required when people are actively speaking. Most people speak ~16,000 words per day at ~2.5 words per second, or for ~6400 seconds per 17-hour day¹¹². Many words are spoken

outdoors, to devices, or at home, so fixtures in shared buildings that are only activated upon detecting conversation, coughs, or sneezes could plausibly prevent almost all transmission between conversation partners without exceeding future safety limits. And while current KrCl excimer lamps cannot switch on and off in response to detected coughs, sneezes, or other enunciations, nor can they easily reach the intensities needed to inactivate most pathogens within a second, LEDs installed in the overhead fixtures of buildings could plausibly do both at much lower cost. 200-230nm LEDs already exist¹¹³, but their efficiency will need to rise by at least a factor of 50, as has occurred for other types of LEDs, to be market-competitive.

If demonstrated to be safe enough to increase exposure guidelines, there is evidence sufficient to convince employers to install it to prevent lost productivity and sick days, and the public supports widespread use in shared-occupancy buildings, low-wave light might prevent most infections by normal human pathogens while providing a powerful passive defence against future pandemics.

Recommendation 12: Support the development of low-wavelength germicidal light sources, including filtered 207nm KrBr and 222nm KrCl lamps and especially 200-230nm LEDs, and encourage the installation of germicidal lights and improved ventilation to passively reduce transmission in buildings. If determined to be sufficiently safe at high levels, such lights should yield large economic benefits by preventing productivity losses resulting from infectious disease transmission in public spaces.

VI. Conclusion

For 77 years, the international community has successfully kept nuclear weapons from falling into the hands of non-state actors. The anticipated proliferation of access to pandemic-class agents will far exceed the worst-case nuclear proliferation scenario. If current trends continue for the next decade, tens of thousands of individuals will obtain the power to single-handedly kill millions. Every rogue state will gain a credible deterrent, extremist groups will acquire agents permitting them to credibly blackmail the world, and zealots will be able to release every pandemic-class agent that they can assemble across travel hubs. If those agents are sufficiently harmful, many regions of the world will experience civilisational collapse.

As of this writing, humanity has not yet credibly identified any viruses capable of causing new pandemics. A coordinated effort can delay proliferation while we leverage new technologies to reliably detect and defend ourselves against the worst biological threats. Nations can cease funding efforts to identify pandemic-capable viruses – which are expected to kill a hundred times as many people as they save because the vast majority of viral threats circulating in animals will stay there, never spilling over into humans – and disincentivize researchers from performing the relevant experiments with regulations, publication policy changes, catastrophe liability insurance, and a pandemic test-ban treaty. They can dramatically limit unauthorised access by requiring all DNA synthesis to be screened for hazards once a freely available screening system becomes available, as is arguably required under Article IV of the Biological Weapons Convention¹¹⁴, and eventually require screening to be incorporated into all synthesis and assembly devices.

Enacting these delaying policies will cost governments nothing and impact scientific progress negligibly, if at all. Early warning systems based on untargeted metagenomic sequencing of aircraft and airport wastewater and air filters, as well as flight crews and possibly hospital patients¹¹⁵, can reliably detect all exponentially growing biological threats in humans and the environment for a couple of billion dollars a year. Detecting all threats circulating in commercial air travellers might only cost in the hundreds of millions or even tens of millions per year, thereby ensuring that all subtle HIV-like pandemics will be detected before too many people are infected. Forewarned essential workers can be sent comfortable protective equipment in advance, enabling them to stay safe while providing the general population with food, water, power, healthcare, and law enforcement. Stockpiling enough for essential workers comprising 1/7 of the population and arranging for its distribution as soon as a future pandemic agent is detected should cost less than \$300 per person. If safety and efficacy studies of low-wavelength light proceed as hoped, employers will

pay to install fixtures in workplaces in order to mostly eliminate illness-related productivity losses by preventing most infections. Combined with basic preparations on the part of nations, these measures will allow us to reliably detect and eliminate emerging pandemic-class agents before they can inflict widespread harm.

We can build a civilisation that is virtually immune to the catastrophic misuse of biology. The question is no longer what to do, nor how to do it, but whether we can jointly acknowledge that the nascent proliferation of pandemic-class agents represents a profound threat to our future.

In the 1970s, when the public viewed the potential risks from recombinant DNA as the next atomic bomb¹¹⁶, acknowledging our peril would not have been difficult. Thirty years later, norms had shifted so dramatically that the editor-in-chief of *Science* publicly decried the White House's request that a manuscript sharing the genome sequence of a virus that killed over 50 million people be subjected to a security review¹¹⁷. Most scientists defer to these new norms when they consider security issues, and policymakers defer to them. But these "new" norms originated nearly two decades ago: after the fear of nuclear weapons had faded; before the great acceleration of biotechnology that gave us the power to unilaterally edit virtually any gene in any genome, and spread alterations to entire species¹¹⁸. Before synthetic DNA became a thousandfold cheaper, the cost of sequencing fell by a millionfold¹¹⁹, scientists shared the genome sequences of half a million new viruses, and detailed step-by-step protocols gave many thousands of people the ability to assemble infectious samples.

Policies and norms, like technology, must change.

Endnotes

1. Maroun et al., “Designing and Building Oncolytic Viruses”; Thi Nhu Thao et al., “Rapid Reconstruction of SARS-CoV-2 Using a Synthetic Genomics Platform.”
2. Lee, “Reverse Genetics of Influenza Virus”; Xie et al., “Engineering SARS-CoV-2 Using a Reverse Genetic System.”
3. Jackson et al., “The Accelerating Pace of Biotech Democratization.”
4. Carlson, “On DNA and Transistors”.
5. National Center for Science and Engineering Statistics, “Doctorate Recipients from U.S. Universities, 2019.”
6. OECD, “OECD: Graduates by Field.”
7. Diggans and Leproust, “Next Steps for Access to Safe, Secure DNA Synthesis.”
8. Diggans and Leproust. “Next Steps for Access to Safe, Secure DNA Synthesis.”
9. Hoffman, *The Dead Hand: The Untold Story of the Cold War Arms Race and Its Dangerous Legacy*.
10. International Atomic Energy Agency, “Climate Change and Nuclear Power 2020.”
11. McMaster, *From Controversy to Cure - Inside the Cambridge Biotech Boom*.
12. Berg and Singer, “The Recombinant DNA Controversy: Twenty Years Later.”
13. Berg et al., “Summary Statement of the Asilomar Conference on Recombinant DNA Molecules”; Berg and Singer, “The Recombinant DNA Controversy: Twenty Years Later”; Institute of Medicine (US) Committee to Study Decision Making and Hanna, *Asilomar and Recombinant DNA: The End of the Beginning*; Falkow Stanley, “The Lessons of Asilomar and the H5N1 ‘Affair’”; Grace, “The Asilomar Conference: A Case Study in Risk Mitigation.”
14. Berg and Singer, “The Recombinant DNA Controversy: Twenty Years Later.”
15. Oxford, “Nature’s Biological Weapon”; Watts, “Harnessing Mother Nature against Your Fellow Humans”; Clark, “The Ultimate Bioterrorist: Mother Nature!”; Reardon, “US Government Lifts Ban on Risky Pathogen Research”; Osterholm PhD MPH and Olshaker, *Deadliest Enemy: Our War Against Killer Germs*; Panosian Dunavan, “Uncomfortable Truths about Modern Epidemics: A Review of The Pandemic Century and Interview with Author Mark Honigsbaum”; Bakerlee, “Mother Nature Is Not the Ultimate Bioterrorist.”
16. Esvelt et al., “Concerning RNA-guided Gene Drives for the Alteration of Wild Populations”; Burt and Crisanti, “Gene Drive: Evolved and Synthetic”; Oye et al., “Biotechnology. Regulating Gene Drives”; Oye and Esvelt, “Gene Drives Raise Dual-Use Concerns---Response”; DiCarlo et al., “Safeguarding CRISPR-Cas9 Gene Drives in Yeast.”
17. Eckhoff et al., “Impact of Mosquito Gene Drive on Malaria Elimination in a Computational Model with Explicit Spatial and Temporal Dynamics”; Beaghton, Beaghton, and Burt, “Gene Drive through a Landscape: Reaction-Diffusion Models of Population Suppression and Elimination by a Sex Ratio Distorter”; Beaghton and Burt, “Gene Drives and Population Persistence vs Elimination: The Impact of Spatial Structure and Inbreeding at Low Density”; Burt, “Site-Specific Selfish Genes as Tools for the Control and Genetic Engineering of Natural Populations”; Kyrou et al., “A CRISPR--Cas9 Gene Drive Targeting Doublesex Causes Complete Population Suppression in Caged Anopheles Gambiae Mosquitoes.”
18. Willman and Muller, “A Science in the Shadows”; Imai et al., “Experimental Adaptation of an Influenza H5 HA Confers Respiratory Droplet Transmission to a Reassortant H5 HA/H1N1 Virus in Ferrets”; Herfst et al., “Airborne Transmission of Influenza A/H5N1 Virus between Ferrets.”
19. Esvelt, “Inoculating Science against Potential Pandemics and Information Hazards.”
20. Esvelt, “Manipulating Viruses and Risking Pandemics Is Too Dangerous. It’s Time to Stop.”
21. Grange et al., “Ranking the Risk of Animal-to-Human Spillover for Newly Discovered Viruses.”
22. Thèves, Biagini, and Crubézy, “The Rediscovery of Smallpox.”
23. “American Pandemic Preparedness: Transforming Our Capabilities.”
24. Bakerlee et al., “Common Misconceptions about Biological Weapons.”

25. Imai et al., “Experimental Adaptation of an Influenza H5 HA Confers Respiratory Droplet Transmission to a Reassortant H5 HA/H1N1 Virus in Ferrets”; Willman and Muller, “A Science in the Shadows.”
26. Herfst et al., “Airborne Transmission of Influenza A/H5N1 Virus between Ferrets.”
27. Hu et al., “Discovery of a Rich Gene Pool of Bat SARS-Related Coronaviruses Provides New Insights into the Origin of SARS Coronavirus.”
28. Zhong et al., “Mutations in the Neuraminidase-Like Protein of Bat Influenza H18N11 Virus Enhance Virus Replication in Mammalian Cells, Mice, and Ferrets.”
29. Juozapaitis et al., “An Infectious Bat-Derived Chimeric Influenza Virus Harboring the Entry Machinery of an Influenza A Virus.”
30. Levy and Smithson, “Ataxia: The Chemical and Biological Terrorism Threat and the US Response”; Lifton, *Destroying the World to Save It: Aum Shinrikyo, Apocalyptic Violence, and the New Global Terrorism*.
31. Mowatt-Larssen, “Al Qaeda Weapons of Mass Destruction Threat: Hype or Reality?”
32. Kaczynski, “The Unabomber Manifesto: Industrial Society and Its Future.”
33. Millett and Snyder-Beattie, “Existential Risk and Cost-Effective Biosecurity.”
34. Wikipedia contributors, “James Holmes (mass Murderer).”
35. Torres, “Who Would Destroy the World? Omnicidal Agents and Related Phenomena.”
36. Willman and Muller, “A Science in the Shadows”; Herfst et al., “Airborne Transmission of Influenza A/H5N1 Virus between Ferrets”; Imai et al., “Experimental Adaptation of an Influenza H5 HA Confers Respiratory Droplet Transmission to a Reassortant H5 HA/H1N1 Virus in Ferrets”; He et al., “Differences in Transmissibility and Pathogenicity of Reassortants between H9N2 and 2009 Pandemic H1N1 Influenza A Viruses from Humans and Swine”; Juozapaitis et al., “An Infectious Bat-Derived Chimeric Influenza Virus Harboring the Entry Machinery of an Influenza A Virus”; Hu et al., “Discovery of a Rich Gene Pool of Bat SARS-Related Coronaviruses Provides New Insights into the Origin of SARS Coronavirus”; Carroll et al., “The Global Virome Project”; Zhong et al., “Mutations in the Neuraminidase-Like Protein of Bat Influenza H18N11 Virus Enhance Virus Replication in Mammalian Cells, Mice, and Ferrets”; Park et al., “Animal Models for the Risk Assessment of Viral Pandemic Potential”; Ruiz-Aravena et al., “Ecology, Evolution and Spillover of Coronaviruses from Bats”; Grange et al., “Ranking the Risk of Animal-to-Human Spillover for Newly Discovered Viruses”; Alibek and Handelman, *Biohazard*.
37. Danzig et al., “Aum Shinrikyo: Insights into How Terrorists Develop Biological and Chemical Weapons.”
38. Albariño et al., “Development of a Reverse Genetics System to Generate a Recombinant Ebola Virus Makona Expressing a Green Fluorescent Protein”; Gan et al., “Development of a New Reverse Genetics System for Ebola Virus.”
39. Kaczynski, “The Unabomber Manifesto: Industrial Society and Its Future.”
40. Imai et al., “Experimental Adaptation of an Influenza H5 HA Confers Respiratory Droplet Transmission to a Reassortant H5 HA/H1N1 Virus in Ferrets”; Herfst et al., “Airborne Transmission of Influenza A/H5N1 Virus between Ferrets”; Willman and Muller, “A Science in the Shadows.”
41. Carroll et al., “The Global Virome Project”; “Project Aims to Identify Viruses with Pandemic Potential.”
42. Grange et al., “Ranking the Risk of Animal-to-Human Spillover for Newly Discovered Viruses.”
43. Anthony et al., “A Strategy to Estimate Unknown Viral Diversity in Mammals”; Carlson et al., “Global Estimates of Mammalian Viral Diversity Accounting for Host Sharing.”
44. Systemic Risk of Modelling Working Party, Oxford Martin School and Amlin Insurance, “Systemic Risk of Modelling in Insurance”; Zhou, “Meta-Modelling of Systemic Risk from Models.”
45. Carroll et al., “The Global Virome Project”; Herfst et al., “Airborne Transmission of Influenza A/H5N1 Virus between Ferrets”; Imai et al., “Experimental Adaptation of an Influenza H5 HA Confers Respiratory Droplet Transmission to a Reassortant H5 HA/H1N1 Virus in Ferrets”; Willman and Muller, “A Science in the Shadows.”
46. Kupferschmidt, “Critics See Only Risks, No Benefits in Horsepox Paper”; Inglesby, “Horsepox and the Need for a New Norm, More Transparency, and Stronger Oversight for Experiments That Pose Pandemic Risks”; Thiel, “Synthetic Viruses-Anything New?”; Esvelt, “Inoculating Science against Potential Pandemics and Information Hazards.”
47. Yong, “A Controversial Virus Study Reveals a Critical Flaw in How Science Is Done”; Baumgaertner, “As D.I.Y. Gene Editing Gains Popularity, ‘Someone Is Going to Get Hurt.’”

48. "Citations Deliberately Omitted."
49. Esvelt et al., "Concerning RNA-guided Gene Drives for the Alteration of Wild Populations."
50. DiCarlo et al., "RNA-guided Gene Drives Can Efficiently and Reversibly Bias Inheritance in Wild Yeast"; DiCarlo et al., "Safeguarding CRISPR-Cas9 Gene Drives in Yeast"; Esvelt, "Gene Drive: The Thing to Fear Is Fear Itself."
51. Callaway, "Gene Drive Moratorium Shot Down at UN Meeting."
52. Kennedy, "Better Never than Late"; Esvelt, "Inoculating Science against Potential Pandemics and Information Hazards."
53. Maroun et al., "Designing and Building Oncolytic Viruses."
54. Cello, Paul, and Wimmer, "Chemical Synthesis of Poliovirus cDNA: Generation of Infectious Virus in the Absence of Natural Template."
55. Xie et al., "Engineering SARS-CoV-2 Using a Reverse Genetic System."
56. Diggans and Leproust, "Next Steps for Access to Safe, Secure DNA Synthesis."
57. International Gene Synthesis Consortium, "Harmonized Screening Protocol V2."
58. Diggans and Leproust, "Next Steps for Access to Safe, Secure DNA Synthesis."
59. World Economic Forum, Nuclear Threat Initiative, "Biosecurity Innovation and Risk Reduction: A Global Framework for Accessible, Safe and Secure DNA Synthesis."
60. Gretton D, Wang B, Foner L, DeBenedictis EA, Liu AB, Chory E, Cui H, Li X, Dong J, Fabrega A, Dennison C, Don O, Tong Y, Uberoy K, Rivest R, Gao M, Yu Y, Baum C, Damgard I, Yao AC, Esvelt KM, "Random Adversarial Threshold Search Enables Specific, Secure, and Automated DNA Synthesis Screening"; Baum C, Cui H, Damgard I, Esvelt KM, Gao M, Gretton D, Paneth O, Rivest R, Vaikuntanathan V, Wicks D, Yao A, Yu Y, "Cryptographic Aspects of DNA Synthesis Screening."
61. Martinez, "Hostis Humani Generis: Enemies of Mankind"; Harding, "'Hostis Humani Generis' — The Pirate as Outlaw in the Early Modern Law of the Sea"; Ezeani, "The 21st Century Terrorist: Hostis Humani Generis?"; Roberts, "Hostis Humani Generis: The Threat of WMD Terrorism and How NATO Is Facing the Ultimate Threat."
62. Nielsen and Voigt, "Deep Learning to Predict the Lab-of-Origin of Engineered DNA"; Alley et al., "A Machine Learning Toolkit for Genetic Engineering Attribution to Facilitate Biosecurity"; Lewis et al., "The Biosecurity Benefits of Genetic Engineering Attribution"; Crook et al., "Analysis of the First Genetic Engineering Attribution Challenge."
63. The Nucleic Acid Observatory Consortium, "A Global Nucleic Acid Observatory for Biodefense and Planetary Health."
64. Peccia et al., "Measurement of SARS-CoV-2 RNA in Wastewater Tracks Community Infection Dynamics."
65. The Nucleic Acid Observatory Consortium, "A Global Nucleic Acid Observatory for Biodefense and Planetary Health."
66. Damavandi et al., "Enrichment of Low Abundance DNA/RNA by Oligonucleotide-Clicked Iron Oxide Nanoparticles."
67. Gootenberg et al., "Nucleic Acid Detection with CRISPR-Cas13a/C2c2"; English et al., "Programmable CRISPR-Responsive Smart Materials."
68. CDC, "National Wastewater Surveillance System (NWSS)."
69. "American Pandemic Preparedness: Transforming Our Capabilities."
70. Corbett et al., "SARS-CoV-2 mRNA Vaccine Design Enabled by Prototype Pathogen Preparedness."
71. "American Pandemic Preparedness: Transforming Our Capabilities."
72. Clarke et al., "Seroprevalence of Infection-Induced SARS-CoV-2 Antibodies - United States, September 2021-February 2022."
73. Murray, "COVID-19 Will Continue but the End of the Pandemic Is near."
74. Chan et al., "Engineering Human ACE2 to Optimize Binding to the Spike Protein of SARS Coronavirus 2."
75. Chaturvedi et al., "Identification of a Therapeutic Interfering Particle-A Single-Dose SARS-CoV-2 Antiviral Intervention with a High Barrier to Resistance."
76. CDC, "Transmission of Measles."

77. Remington et al., “Airborne Transmission of Measles in a Physician’s Office”; Riley, Murphy, and Riley, “Airborne Spread of Measles in a Suburban Elementary School.”
78. Remington et al., “Airborne Transmission of Measles in a Physician’s Office”; Bloch et al., “Measles Outbreak in a Pediatric Practice: Airborne Transmission in an Office Setting.”
79. Remington et al., “Airborne Transmission of Measles in a Physician’s Office”; Bloch et al., “Measles Outbreak in a Pediatric Practice: Airborne Transmission in an Office Setting”; Riley, Murphy, and Riley, “Airborne Spread of Measles in a Suburban Elementary School”; CDC, “Transmission of Measles.”
80. “Verasuit Advantages.”
81. Karan and Asgari, “Resilience of Food, Energy, and Water Systems to a Sudden Labor Shortage.”
82. McNicholas and Poydock, “Who Are Essential Workers?: A Comprehensive Look at Their Wages, Demographics, and Unionization Rates.”
83. McNicholas and Poydock.
84. Farrell and Newman, “Weak Links in Finance and Supply Chains Are Easily Weaponized.”
85. Gootenberg et al., “Nucleic Acid Detection with CRISPR-Cas13a/C2c2”; English et al., “Programmable CRISPR-Responsive Smart Materials”; Ackerman et al., “Massively Multiplexed Nucleic Acid Detection with Cas13.”
86. Bradshaw et al., “Bidirectional Contact Tracing Could Dramatically Improve COVID-19 Control”; Endo et al., “Implication of Backward Contact Tracing in the Presence of Overdispersed Transmission in COVID-19 Outbreaks.”
87. Ferretti et al., “Quantifying Dynamics of SARS-CoV-2 Transmission Suggests That Epidemic Control and Avoidance Is Feasible through Instantaneous Digital Contact Tracing.”
88. Rivest et al., “The PACT Protocol Specification.”
89. Meklenburg et al., “SonicPACT: An Ultrasonic Ranging Method for the Private Automated Contact Tracing (PACT) Protocol”; Loh, “NOVID - a New Approach to Pandemics.”
90. Cori et al., “Estimating Influenza Latency and Infectious Period Durations Using Viral Excretion Data”; te Beest et al., “Estimating the Generation Interval of Influenza A (H1N1) in a Range of Social Settings.”
91. Loh, “Flipping the Perspective in Contact Tracing.”
92. Loh; Loh, “NOVID - a New Approach to Pandemics.”
93. Rivest et al., “The PACT Protocol Specification.”
94. “Global HIV & AIDS Statistics – Fact Sheet.”
95. Integrated Benefits Institute, “Full Cost Estimator”; Hansen, Zimmerman, and van de Mortel, “Infectious Illness Prevention and Control Methods and Their Effectiveness in Non-Health Workplaces: An Integrated Literature Review.”
96. Fennelly, “Particle Sizes of Infectious Aerosols: Implications for Infection Control”; Allen and Ibrahim, “Indoor Air Changes and Potential Implications for SARS-CoV-2 Transmission.”
97. Zhang et al., “Transmission of SARS-CoV-2 during Air Travel: A Descriptive and Modelling Study”; Silcott et al., “TRANSCOM/AMC Commercial Aircraft Cabin Aerosol Dispersion Tests”; Freedman and Wilder-Smith, “In-Flight Transmission of SARS-CoV-2: A Review of the Attack Rates and Available Data on the Efficacy of Face Masks.”
98. Brickner et al., “The Application of Ultraviolet Germicidal Irradiation to Control Transmission of Airborne Disease: Bioterrorism Countermeasure”; Nardell et al., “Safety of Upper-Room Ultraviolet Germicidal Air Disinfection for Room Occupants: Results from the Tuberculosis Ultraviolet Shelter Study.”
99. Blatchley et al., “Far UV-C Radiation: An Emerging Tool for Pandemic Control.”
100. Woods et al., “The Effect of 222-Nm UVC Phototesting on Healthy Volunteer Skin: A Pilot Study”; Ponnaiya et al., “Far-UVC Light Prevents MRSA Infection of Superficial Wounds in Vivo”; Welch et al., “Far-UVC Light: A New Tool to Control the Spread of Airborne-Mediated Microbial Diseases”; Buchan, Yang, and Atkinson, “Predicting Airborne Coronavirus Inactivation by Far-UVC in Populated Rooms Using a High-Fidelity Coupled Radiation-CFD Model”; Glaab et al., “Skin Tolerant Inactivation of Multiresistant Pathogens Using Far-UVC LEDs”; Eadie et al., “Extreme Exposure to Filtered Far-UVC: A Case Study†”; Hessling et al., “The Impact of Far-UVC Radiation (200-230 Nm) on Pathogens, Cells, Skin, and Eyes - a Collection and Analysis of a Hundred Years of Data”; Eadie et al., “Far-UVC (222 Nm)

- Efficiently Inactivates an Airborne Pathogen in a Room-Sized Chamber”; Blatchley et al., “Far UV-C Radiation: An Emerging Tool for Pandemic Control.”
101. Blatchley et al., “Far UV-C Radiation: An Emerging Tool for Pandemic Control”; Feijó Delgado et al., “Intracellular Water Exchange for Measuring the Dry Mass, Water Mass and Changes in Chemical Composition of Living Cells.”
 102. Pérez Ferriols et al., “Determinación de La Dosis Eritémica Mínima Y Reacciones Anómalas a Radiación Ultravioleta A Según Fototipo”; Barnard, Eadie, and Wood, “Further Evidence That Far-UV-C for Disinfection Is Unlikely to Cause Erythema or Pre-Mutagenic DNA Lesions in Skin”; Eadie et al., “Extreme Exposure to Filtered Far-UV-C: A Case Study†.”
 103. Hessling et al., “The Impact of Far-UV-C Radiation (200–230 Nm) on Pathogens, Cells, Skin, and Eyes - a Collection and Analysis of a Hundred Years of Data”; Eadie et al., “Far-UV-C (222 Nm) Efficiently Inactivates an Airborne Pathogen in a Room-Sized Chamber”; Ponnaiya et al., “Far-UV-C Light Prevents MRSA Infection of Superficial Wounds in Vivo”; Welch et al., “Far-UV-C Light: A New Tool to Control the Spread of Airborne-Mediated Microbial Diseases”; Buonanno et al., “Far-UV-C Light (222 Nm) Efficiently and Safely Inactivates Airborne Human Coronaviruses”; Fennelly, “Particle Sizes of Infectious Aerosols: Implications for Infection Control”; Barnard, Eadie, and Wood, “Further Evidence That Far-UV-C for Disinfection Is Unlikely to Cause Erythema or Pre-Mutagenic DNA Lesions in Skin”; Blatchley et al., “Far UV-C Radiation: An Emerging Tool for Pandemic Control.”
 104. Kaidzu et al., “Re-Evaluation of Rat Corneal Damage by Short-Wavelength UV Revealed Extremely Less Hazardous Property of Far-UV-C†.”
 105. Duncan et al., “Ocular and Facial Far-UV-C Doses from Ceiling-Mounted 222 Nm Far-UV-C Fixtures.”
 106. International Ultraviolet Association Task Force on Far UV-C Radiation for Disinfection of Air and Surfaces, “Far UV-C Radiation - Current State of Knowledge”; Eadie et al., “Extreme Exposure to Filtered Far-UV-C: A Case Study†”; Brantner et al., “Safety of 222 Nm Band-Pass Filtered Irradiation: A Review and Analysis of Current Data”; Welch et al., “No Evidence of Induced Skin Cancer or Other Skin Abnormalities after Long Term (66 Week) Chronic Exposure to 222-Nm Far-UV-C Radiation”; Barnard, Eadie, and Wood, “Further Evidence That Far-UV-C for Disinfection Is Unlikely to Cause Erythema or Pre-Mutagenic DNA Lesions in Skin.”
 107. Welch et al., “No Evidence of Induced Skin Cancer or Other Skin Abnormalities after Long Term (66 Week) Chronic Exposure to 222-Nm Far-UV-C Radiation.”
 108. Sun et al., “Ozone Decomposition by a Manganese-Organic Framework over the Entire Humidity Range.”
 109. Eadie et al., “Extreme Exposure to Filtered Far-UV-C: A Case Study†.”
 110. Blatchley et al., “Far UV-C Radiation: An Emerging Tool for Pandemic Control”; Eadie et al., “Far-UV-C (222 Nm) Efficiently Inactivates an Airborne Pathogen in a Room-Sized Chamber.”
 111. Blatchley et al., “Far UV-C Radiation: An Emerging Tool for Pandemic Control”; Eadie et al., “Far-UV-C (222 Nm) Efficiently Inactivates an Airborne Pathogen in a Room-Sized Chamber.”
 112. Mehl et al., “Are Women Really More Talkative than Men?”
 113. Ploch et al., “Development of Far-UV-C LEDs and Their Application in Irradiation Systems for Antisepsis and Sensing”; Gao et al., “Strain Engineering of Digitally Alloyed AlN/GaN Nanorods for Far-UV-C Emission as Short as 220 Nm”; Guttman et al., “Spectrally Pure Far-UV-C Emission from AlGaIn-Based LEDs with Dielectric Band Pass Filters”; Jo, Itokazu, and Hirayama, “Milliwatt-Power Far-UV-C AlGaIn LEDs on Sapphire Substrates”; Malik et al., “Polarization-Dependent Hole Generation in 222 Nm-Band AlGaIn-Based Far-UV-C LED: A Way Forward to the Epi-Growers of MBE and MOCVD.”
 114. Leach, “Necessary Measures: Synthetic Biology & the Biological Weapons Convention.”
 115. The Nucleic Acid Observatory Consortium, “A Global Nucleic Acid Observatory for Biodefense and Planetary Health.”
 116. McMaster, *From Controversy to Cure - Inside the Cambridge Biotech Boom*.
 117. Kennedy, “Better Never than Late.”
 118. Esvelt et al., “Concerning RNA-guided Gene Drives for the Alteration of Wild Populations”; Noble et al., “Current CRISPR Gene Drive Systems Are Likely to Be Highly Invasive in Wild Populations.”
 119. Carlson, “Carlson Curves - Synthesis.”

References

- Ackerman, Cheri M., Cameron Myhrvold, Sri Gowtham Thakku, Catherine A. Freije, Hayden C. Metsky, David K. Yang, Simon H. Ye, et al. “Massively Multiplexed Nucleic Acid Detection with Cas13.” *Nature* 582, no. 7811 (June 2020): 277–82.
- Albariño, César G., Lisa Wiggleson Guerrero, Michael K. Lo, Stuart T. Nichol, and Jonathan S. Towner. “Development of a Reverse Genetics System to Generate a Recombinant Ebola Virus Makona Expressing a Green Fluorescent Protein.” *Virology* 484 (October 2015): 259–64.
- Alibek, Ken, and Stephen Handelman. *Biohazard*. Reprint edition. Delta, 2000.
- Allen, Joseph G., and Andrew M. Ibrahim. “Indoor Air Changes and Potential Implications for SARS-CoV-2 Transmission.” *JAMA: The Journal of the American Medical Association* 325, no. 20 (May 25, 2021): 2112–13.
- Alley, Ethan C., Miles Turpin, Andrew Bo Liu, Taylor Kulp-McDowall, Jacob Swett, Rey Edison, Stephen E. Von Stetina, George M. Church, and Kevin M. Esvelt. “A Machine Learning Toolkit for Genetic Engineering Attribution to Facilitate Biosecurity.” *Nature Communications* 11, no. 1 (December 8, 2020): 6293.
- “American Pandemic Preparedness: Transforming Our Capabilities,” September 3, 2021. <https://www.whitehouse.gov/briefing-room/statements-releases/2021/09/03/fact-sheet-biden-administration-to-transform-capabilities-for-pandemic-preparedness/>.
- Anthony, Simon J., Jonathan H. Epstein, Kris A. Murray, Isamara Navarrete-Macias, Carlos M. Zambrana-Torrel, Alexander Solovyov, Rafael Ojeda-Flores, et al. “A Strategy to Estimate Unknown Viral Diversity in Mammals.” *mBio* 4, no. 5 (September 3, 2013): e00598–13.
- Bakerlee, Chris. “Mother Nature Is Not the Ultimate Bioterrorist.” STAT News. Accessed June 21, 2022. <https://www.statnews.com/2021/01/08/mother-nature-is-not-the-ultimate-bioterrorist/>.
- Bakerlee, Chris, Steph Guerra, Christine Parthemore, Damien Soghoian, and Jacob Swett. “Common Misconceptions about Biological Weapons.” Accessed May 11, 2022. https://councilonstrategicrisks.org/wp-content/uploads/2020/12/Common-Misconceptions-About-Biological-Weapons_BRIEFER-12_2020_12_7.pdf.
- Barnard, Isla Rose Mary, Ewan Eadie, and Kenneth Wood. “Further Evidence That Far-UVC for Disinfection Is Unlikely to Cause Erythema or Pre-Mutagenic DNA Lesions in Skin.” *Photodermatology, Photoimmunology & Photomedicine*, November 2020.
- Baum C, Cui H, Damgard I, Esvelt KM, Gao M, Gretton D, Paneth O, Rivest R, Vaikuntanathan V, Wachs D, Yao A, Yu Y. “Cryptographic Aspects of DNA Synthesis Screening,” January 2020.
- Baumgaertner, Emily. “As D.I.Y. Gene Editing Gains Popularity, ‘Someone Is Going to Get Hurt.’” *The New York Times*. May 14, 2018. <https://www.nytimes.com/2018/05/14/science/biohackers-gene-editing-virus.html>.
- Beaghton, Andrea, Pantelis John Beaghton, and Austin Burt. “Gene Drive through a Landscape: Reaction-Diffusion Models of Population Suppression and Elimination by a Sex Ratio Distorter.” *Theoretical Population Biology* 108 (December 2015): 51–69.
- Beaghton, P. J., and Austin Burt. “Gene Drives and Population Persistence vs Elimination: The Impact of Spatial Structure and Inbreeding at Low Density.” *Theoretical Population Biology* 145 (June 2022): 109–25.
- Beest, Dennis E. te, Jacco Wallinga, Tjibbe Donker, and Michiel van Boven. “Estimating the Generation Interval of Influenza A (H1N1) in a Range of Social Settings.” *Epidemiology* 24, no. 2 (March 2013): 244–50.
- Berg, P., D. Baltimore, S. Brenner, R. O. Roblin, and M. F. Singer. “Summary Statement of the Asilomar Conference on Recombinant DNA Molecules.” *Proceedings of the National Academy of Sciences of the United States of America* 72, no. 6 (June 1975): 1981–84.
- Berg, P., and M. F. Singer. “The Recombinant DNA Controversy: Twenty Years Later.” *Proceedings of the National Academy of Sciences of the United States of America* 92, no. 20 (September 1995): 9011–13.

- Blatchley, Ernest R., David J. Brenner, Holger Claus, Troy E. Cowan, Karl G. Linden, Yijing Liu, Ted Mao, et al. "Far UV-C Radiation: An Emerging Tool for Pandemic Control." *Critical Reviews in Environmental Science and Technology*, June 10, 2022, 1–21.
- Bloch, A. B., W. A. Orenstein, W. M. Ewing, W. H. Spain, G. F. Mallison, K. L. Herrmann, and A. R. Hinman. "Measles Outbreak in a Pediatric Practice: Airborne Transmission in an Office Setting." *Pediatrics* 75, no. 4 (April 1985): 676–83.
- Bradshaw, Will, Ethan C. Alley, Jonathan H. Huggins, Alun L. Lloyd, and Kevin M. Esvelt. "Bidirectional Contact Tracing Could Dramatically Improve COVID-19 Control." *Nature Communications*, January 11, 2021. <https://doi.org/10.1038/s41467-020-20325-7>.
- Brantner, Casey, Angela Wong, Angela Davis, Celestia Hammond, and Nels Olson. "Safety of 222 Nm Band-Pass Filtered Irradiation: A Review and Analysis of Current Data." Accessed May 19, 2022. https://www.boeing.com/confident-travel/downloads/Boeing_Safety_of_222_nm_Band-Pass_Filtered_Irradiation.pdf.
- Brickner, Philip W., Richard L. Vincent, Melvin First, Edward Nardell, Megan Murray, and Will Kaufman. "The Application of Ultraviolet Germicidal Irradiation to Control Transmission of Airborne Disease: Bioterrorism Countermeasure." *Public Health Reports* 118, no. 2 (March 2003): 99–114.
- Buchan, Andrew G., Liang Yang, and Kirk D. Atkinson. "Predicting Airborne Coronavirus Inactivation by Far-UVC in Populated Rooms Using a High-Fidelity Coupled Radiation-CFD Model." *Scientific Reports* 10, no. 1 (November 12, 2020): 19659.
- Buonanno, Manuela, David Welch, Igor Shuryak, and David J. Brenner. "Far-UVC Light (222 Nm) Efficiently and Safely Inactivates Airborne Human Coronaviruses." *Scientific Reports* 10, no. 1 (June 24, 2020): 10285.
- Burt, Austin. "Site-Specific Selfish Genes as Tools for the Control and Genetic Engineering of Natural Populations." *Proceedings. Biological Sciences / The Royal Society* 270, no. 1518 (May 2003): 921–28.
- Burt, Austin, and Andrea Crisanti. "Gene Drive: Evolved and Synthetic." *ACS Chemical Biology* 13, no. 2 (February 16, 2018): 343–46.
- Callaway, Ewen. "Gene Drive Moratorium Shot Down at UN Meeting." *Scientific American*, By Ewen Callaway on December 22 2016. <https://www.scientificamerican.com/article/gene-drive-moratorium-shot-down-at-un-meeting/>.
- Carlson, Colin J., Casey M. Zipfel, Romain Garnier, and Shweta Bansal. "Global Estimates of Mammalian Viral Diversity Accounting for Host Sharing." *Nat Ecol Evol*, June 2019.
- Carlson, Robert. "Carlson Curves - Synthesis." synthesis, March 9, 2016. <http://www.synthesis.cc/synthesis/category/Carlson+Curves>.
- Carroll, Dennis, Peter Daszak, Nathan D. Wolfe, George F. Gao, Carlos M. Morel, Subhash Morzaria, Ariel Pablos-Méndez, Oyewale Tomori, and Jonna A. K. Mazet. "The Global Virome Project." *Science* 359, no. 6378 (February 23, 2018): 872–74.
- CDC. "National Wastewater Surveillance System (NWSS)." Centers for Disease Control and Prevention, June 8, 2022. <https://www.cdc.gov/healthywater/surveillance/wastewater-surveillance/wastewater-surveillance.html>.
- . "Transmission of Measles." Centers for Disease Control and Prevention, April 1, 2021. <https://www.cdc.gov/measles/transmission.html>.
- Cello, Jeronimo, Aniko V. Paul, and Eckard Wimmer. "Chemical Synthesis of Poliovirus cDNA: Generation of Infectious Virus in the Absence of Natural Template." *Science* 297, no. 5583 (August 9, 2002): 1016–18.
- Chan, Kui K., Danielle Dorosky, Preeti Sharma, Shawn A. Abbasi, John M. Dye, David M. Kranz, Andrew S. Herbert, and Erik Procko. "Engineering Human ACE2 to Optimize Binding to the Spike Protein of SARS Coronavirus 2." *Science* 369, no. 6508 (September 4, 2020): 1261–65.
- Chaturvedi, Sonali, Gustavo Vasen, Michael Pablo, Xinyue Chen, Nathan Beutler, Arjun Kumar, Elizabeth Tanner, et al. "Identification of a Therapeutic Interfering Particle-A Single-Dose SARS-CoV-2 Antiviral Intervention with a High Barrier to Resistance." *Cell* 184, no. 25 (December 9, 2021): 6022–36.e18.

“Citations Deliberately Omitted,” n.d.

- Clarke, Kristie E. N., Jefferson M. Jones, Yangyang Deng, Elise Nycz, Adam Lee, Ronaldo Iachan, Adi V. Gundlapalli, Aron J. Hall, and Adam MacNeil. “Seroprevalence of Infection-Induced SARS-CoV-2 Antibodies - United States, September 2021-February 2022.” *MMWR. Morbidity and Mortality Weekly Report* 71, no. 17 (April 29, 2022): 606–8.
- Clark, William R. “The Ultimate Bioterrorist: Mother Nature!” In *Bracing for Armageddon?* Oxford University Press, n.d. Accessed June 21, 2022.
- Corbett, Kizzmekia S., Darin K. Edwards, Sarah R. Leist, Olubukola M. Abiona, Seyhan Boyoglu-Barnum, Rebecca A. Gillespie, Sunny Himansu, et al. “SARS-CoV-2 mRNA Vaccine Design Enabled by Prototype Pathogen Preparedness.” *Nature* 586, no. 7830 (October 2020): 567–71.
- Cori, A., A. J. Valleron, F. Carrat, G. Scalia Tomba, G. Thomas, and P. Y. Boëlle. “Estimating Influenza Latency and Infectious Period Durations Using Viral Excretion Data.” *Epidemics* 4, no. 3 (August 2012): 132–38.
- Crook, Oliver M., Kelsey Lane Warmbrod, Greg Lipstein, Christine Chung, Christopher W. Bakerlee, T. Greg McKelvey Jr, Shelly R. Holland, et al. “Analysis of the First Genetic Engineering Attribution Challenge.” *arXiv [cs.NE]*, October 14, 2021. arXiv. <http://arxiv.org/abs/2110.11242>.
- Damavandi, Fereshte, Weiwei Wang, Wei-Zheng Shen, Sibel Cetinel, Tracy Jordan, Juan Jovel, Carlo Montemagno, and Kane Ka-Shu Wong. “Enrichment of Low Abundance DNA/RNA by Oligonucleotide-Clicked Iron Oxide Nanoparticles.” *Scientific Reports* 11, no. 1 (June 22, 2021): 13053.
- Danzig, Richard, Marc Sageman, Terrance Leighton, Lloyd Hough, Hidemi Yuki, Rui Kotani, and Zachary M. Hosford. “Aum Shinrikyo: Insights into How Terrorists Develop Biological and Chemical Weapons.” Center for a New American Security, 2012. <http://www.jstor.org/stable/resrep06323>.
- DiCarlo, James E., Alejandro Chavez, Sven L. Dietz, Kevin M. Esvelt, and George M. Church. “RNA-guided Gene Drives Can Efficiently and Reversibly Bias Inheritance in Wild Yeast.” *bioRxiv*, March 2015, 013896.
- . “Safeguarding CRISPR-Cas9 Gene Drives in Yeast.” *Nature Biotechnology* 33, no. 12 (December 2015): 1250–55.
- Diggans, James, and Emily Leproust. “Next Steps for Access to Safe, Secure DNA Synthesis.” *Front Bioeng Biotechnol* 7 (April 2019): 86.
- Duncan, Michael A., David Welch, Igor Shuryak, and David J. Brenner. “Ocular and Facial Far-UVC Doses from Ceiling-Mounted 222 Nm Far-UVC Fixtures.” *bioRxiv*, May 10, 2022. <https://doi.org/10.1101/2022.05.09.491217>.
- Eadie, Ewan, Isla M. R. Barnard, Sally H. Ibbotson, and Kenneth Wood. “Extreme Exposure to Filtered Far-UVC: A Case Study.” *Photochemistry and Photobiology* 97, no. 3 (May 2021): 527–31.
- Eadie, Ewan, Waseem Hiwar, Louise Fletcher, Emma Tidswell, Paul O’Mahoney, Manuela Buonanno, David Welch, et al. “Far-UVC (222 Nm) Efficiently Inactivates an Airborne Pathogen in a Room-Sized Chamber.” *Scientific Reports* 12, no. 1 (March 23, 2022): 4373.
- Eckhoff, Philip A., Edward A. Wenger, H. Charles J. Godfray, and Austin Burt. “Impact of Mosquito Gene Drive on Malaria Elimination in a Computational Model with Explicit Spatial and Temporal Dynamics.” *Proceedings of the National Academy of Sciences of the United States of America*, December 2016.
- Endo, Akira, Centre for the Mathematical Modelling of Infectious Diseases COVID-19 Working Group, Quentin J. Leclerc, Gwenan M. Knight, Graham F. Medley, Katherine E. Atkins, Sebastian Funk, and Adam J. Kucharski. “Implication of Backward Contact Tracing in the Presence of Overdispersed Transmission in COVID-19 Outbreaks.” *Wellcome Open Research* 5 (2020): 239.
- English, Max A., Luis R. Soenksen, Raphael V. Gayet, Helena de Puig, Nicolaas M. Angenent-Mari, Angelo S. Mao, Peter Q. Nguyen, and James J. Collins. “Programmable CRISPR-Responsive Smart Materials.” *Science* 365, no. 6455 (August 23, 2019): 780–85.
- Esvelt, Kevin. “Gene Drive: The Thing to Fear Is Fear Itself.” Editing Biosecurity. George Mason University, December 2018. <http://mars.gmu.edu/handle/1920/11337>.

- Esvelt, Kevin M. "Inoculating Science against Potential Pandemics and Information Hazards." *PLoS Pathogens* 14, no. 10 (October 2018): e1007286.
- Esvelt, Kevin M., Andrea L. Smidler, Flaminia Catteruccia, and George M. Church. "Concerning RNA-guided Gene Drives for the Alteration of Wild Populations." *eLife*, July 2014, e03401.
- Esvelt, K. M. "Manipulating Viruses and Risking Pandemics Is Too Dangerous. It's Time to Stop." *The Washington Post*. October 7, 2021. <https://www.washingtonpost.com/opinions/2021/10/07/manipulating-viruses-risking-pandemics-is-too-dangerous-its-time-stop/>.
- Ezeani, Elimma C. "The 21st Century Terrorist: Hostis Humani Generis?" *Beijing Law Review* 03, no. 04 (2012): 158–69.
- Falkow Stanley. "The Lessons of Asilomar and the H5N1 'Affair.'" *mBio* 3, no. 5 (October 9, 2012): e00354–12.
- Farrell, Henry, and Abraham L. Newman. "Weak Links in Finance and Supply Chains Are Easily Weaponized." Nature Publishing Group UK, May 9, 2022. <https://doi.org/10.1038/d41586-022-01254-5>.
- Feijó Delgado, Francisco, Nathan Cermak, Vivian C. Hecht, Sungmin Son, Yingzhong Li, Scott M. Knudsen, Selim Olcum, et al. "Intracellular Water Exchange for Measuring the Dry Mass, Water Mass and Changes in Chemical Composition of Living Cells." *PloS One* 8, no. 7 (July 2, 2013): e67590.
- Fennelly, Kevin P. "Particle Sizes of Infectious Aerosols: Implications for Infection Control." *The Lancet. Respiratory Medicine* 8, no. 9 (September 2020): 914–24.
- Ferretti, Luca, Chris Wymant, Michelle Kendall, Lele Zhao, Anel Nurtay, David G. Bonsall, and Christophe Fraser. "Quantifying Dynamics of SARS-CoV-2 Transmission Suggests That Epidemic Control and Avoidance Is Feasible through Instantaneous Digital Contact Tracing," March 2020.
- Freedman, David O., and Annelies Wilder-Smith. "In-Flight Transmission of SARS-CoV-2: A Review of the Attack Rates and Available Data on the Efficacy of Face Masks." *Journal of Travel Medicine* 27, no. 8 (December 23, 2020). <https://doi.org/10.1093/jtm/taaa178>.
- Gan, Tianyu, Dihan Zhou, Yi Huang, Shuqi Xiao, Ziyue Ma, Xiaoyou Hu, Yimin Tong, Huimin Yan, and Jin Zhong. "Development of a New Reverse Genetics System for Ebola Virus." *mSphere* 6, no. 3 (May 5, 2021). <https://doi.org/10.1128/mSphere.00235-21>.
- Gao, Na, Junxin Chen, Xiang Feng, Shiqiang Lu, Wei Lin, Jinchai Li, Hangyang Chen, Kai Huang, and Junyong Kang. "Strain Engineering of Digitally Alloyed AlN/GaN Nanorods for Far-UVC Emission as Short as 220 Nm." *Optical Materials Express* 11, no. 4 (April 1, 2021): 1282.
- Glaab, Johannes, Neysha Lobo-Ploch, Hyun Kyong Cho, Thomas Filler, Heiko Gundlach, Martin Guttman, Sylvia Hagedorn, et al. "Skin Tolerant Inactivation of Multiresistant Pathogens Using Far-UVC LEDs." *Scientific Reports* 11, no. 1 (July 19, 2021): 14647.
- "Global HIV & AIDS Statistics — Fact Sheet." Accessed June 14, 2022. <https://www.unaids.org/en/resources/fact-sheet>.
- Gootenberg, Jonathan S., Omar O. Abudayyeh, Jeong Wook Lee, Patrick Essletzbichler, Aaron J. Dy, Julia Joung, Vanessa Verdine, et al. "Nucleic Acid Detection with CRISPR-Cas13a/C2c2." *Science* 356, no. 6336 (April 2017): 438–42.
- Grace, Katja. "The Asilomar Conference: A Case Study in Risk Mitigation." Machine Intelligence Research Institute, July 15, 2015.
- Grange, Zoë L., Tracey Goldstein, Christine K. Johnson, Simon Anthony, Kirsten Gilardi, Peter Daszak, Kevin J. Olival, et al. "Ranking the Risk of Animal-to-Human Spillover for Newly Discovered Viruses." *Proceedings of the National Academy of Sciences of the United States of America* 118, no. 15 (April 13, 2021). <https://doi.org/10.1073/pnas.2002324118>.
- Gretton D, Wang B, Foner L, DeBenedictis EA, Liu AB, Chory E, Cui H, Li X, Dong J, Fabrega A, Dennison C, Don O, Tong Y, Uberoy K, Rivest R, Gao M, Yu Y, Baum C, Damgard I, Yao AC, Esvelt KM. "Random Adversarial Threshold Search Enables Specific, Secure, and Automated DNA Synthesis Screening." *SecuredNA Project*, n.d. https://www.securedna.org/download/Random_Adversarial_Threshold_Screening.pdf.

- Guttmann, Martin, Neysha Lobo-Ploch, Heiko Gundlach, Frank Mehnke, Luca Sulmoni, Tim Wernicke, Hyun Kyong Cho, et al. "Spectrally Pure Far-UVC Emission from AlGaIn-Based LEDs with Dielectric Band Pass Filters." *Journal of Physics D: Applied Physics* 55, no. 20 (February 18, 2022): 205105.
- Hansen, Stephanie, Peta-Anne Zimmerman, and Thea F. van de Mortel. "Infectious Illness Prevention and Control Methods and Their Effectiveness in Non-Health Workplaces: An Integrated Literature Review." *Journal of Infection Prevention* 19, no. 5 (September 2018): 212–18.
- Harding, Christopher. "Hostis Humani Generis" — The Pirate as Outlaw in the Early Modern Law of the Sea." In *Pirates? The Politics of Plunder, 1550–1650*, edited by Claire Jowitt, 20–38. London: Palgrave Macmillan UK, 2007.
- He, Liang, Qiwen Wu, Kaijun Jiang, Zhiqiang Duan, Jingjing Liu, Haixu Xu, Zhu Cui, et al. "Differences in Transmissibility and Pathogenicity of Reassortants between H9N2 and 2009 Pandemic H1N1 Influenza A Viruses from Humans and Swine." *Archives of Virology* 159, no. 7 (July 2014): 1743–54.
- Herfst, Sander, Eefje J. A. Schrauwen, Martin Linster, Salin Chutinimitkul, Emmie de Wit, Vincent J. Munster, Erin M. Sorrell, et al. "Airborne Transmission of Influenza A/H5N1 Virus between Ferrets." *Science* 336, no. 6088 (June 22, 2012): 1534–41.
- Hessling, Martin, Robin Haag, Nicole Sieber, and Petra Vatter. "The Impact of Far-UVC Radiation (200–230 Nm) on Pathogens, Cells, Skin, and Eyes - a Collection and Analysis of a Hundred Years of Data." *GMS Hygiene and Infection Control* 16 (February 16, 2021): Doc07.
- Hoffman, David. *The Dead Hand: The Untold Story of the Cold War Arms Race and Its Dangerous Legacy*. 1 edition. Anchor, 2010.
- Hu, Ben, Lei-Ping Zeng, Xing-Lou Yang, Xing-Yi Ge, Wei Zhang, Bei Li, Jia-Zheng Xie, et al. "Discovery of a Rich Gene Pool of Bat SARS-Related Coronaviruses Provides New Insights into the Origin of SARS Coronavirus." *PLoS Pathogens* 13, no. 11 (November 2017): e1006698.
- Imai, Masaki, Tokiko Watanabe, Masato Hatta, Subash C. Das, Makoto Ozawa, Kyoko Shinya, Gongxun Zhong, et al. "Experimental Adaptation of an Influenza H5 HA Confers Respiratory Droplet Transmission to a Reassortant H5 HA/H1N1 Virus in Ferrets." *Nature* 486, no. 7403 (May 2, 2012): 420–28.
- Inglesby, Tom. "Horsepox and the Need for a New Norm, More Transparency, and Stronger Oversight for Experiments That Pose Pandemic Risks." *PLoS Pathogens* 14, no. 10 (October 2018): e1007129.
- Institute of Medicine (US) Committee to Study Decision Making, and Kathi E. Hanna. *Asilomar and Recombinant DNA: The End of the Beginning*. National Academies Press (US), 1991.
- Integrated Benefits Institute. "Full Cost Estimator." The Full Cost Estimator Tool. Accessed June 12, 2022. <https://www.ibiweb.org/tools-analysis/full-cost-estimator>.
- International Atomic Energy Agency. "Climate Change and Nuclear Power 2020." Non-Serial Publications. Vienna: International Atomic Energy Agency, 2020. <https://www.iaea.org/publications/14725/climate-change-and-nuclear-power-2020>.
- International Gene Synthesis Consortium. "Harmonized Screening Protocol V2," 2017. <https://genesynthesisconsortium.org/wp-content/uploads/IGSCHarmonizedProtocol11-21-17.pdf>.
- International Ultraviolet Association Task Force on Far UV-C Radiation for Disinfection of Air and Surfaces. "Far UV-C Radiation - Current State of Knowledge," May 11, 2021. <https://iuva.org/resources/covid-19/Far%20UV-C%20Radiation-%20Current%20State-of%20Knowledge.pdf>.
- Jackson, Shawn S., Louise E. Sumner, Christian H. Garnier, Casey Basham, Landy T. Sun, Peter L. Simone, Danielle S. Gardner, and Rocco J. Casagrande. "The Accelerating Pace of Biotech Democratization." *Nature Biotechnology* 37, no. 12 (December 2019): 1403–8.
- Jo, Masafumi, Yuri Itokazu, and Hideki Hirayama. "Milliwatt-Power Far-UVC AlGaIn LEDs on Sapphire Substrates." *Applied Physics Letters* 120, no. 21 (May 23, 2022): 211105.
- Juozapaitis, Mindaugas, Étori Aguiar Moreira, Ignacio Mena, Sebastian Giese, David Riegger, Anne Pohlmann, Dirk Höper, et al. "An Infectious Bat-Derived Chimeric Influenza Virus Harboring the Entry Machinery of an Influenza A Virus." *Nature Communications* 5 (July 23, 2014): 4448.

- Kaczynski, T. "The Unabomber Manifesto: Industrial Society and Its Future." *The Washington Post*, September 19, 1995. https://scholar.google.ca/scholar?cluster=162628235001074432&hl=en&as_sdt=0,5&sciodt=0,5.
- Kaidzu, Sachiko, Kazunobu Sugihara, Masahiro Sasaki, Aiko Nishiaki, Hiroyuki Ohashi, Tatsushi Igarashi, and Masaki Tanito. "Re-Evaluation of Rat Corneal Damage by Short-Wavelength UV Revealed Extremely Less Hazardous Property of Far-UV-C₊." *Photochemistry and Photobiology* 97, no. 3 (May 2021): 505–16.
- Karan, Ebrahim, and Sadegh Asgari. "Resilience of Food, Energy, and Water Systems to a Sudden Labor Shortage." *Environment Systems & Decisions* 41, no. 1 (January 4, 2021): 63–81.
- Kennedy, Donald. "Better Never than Late." *Science*, October 14, 2005.
- Kupferschmidt, Kai. "Critics See Only Risks, No Benefits in Horsepox Paper." *Science* 359, no. 6374 (January 2018): 375–76.
- Kyrou, Kyros, Andrew M. Hammond, Roberto Galizi, Nace Kranjc, Austin Burt, Andrea K. Beaghton, Tony Nolan, and Andrea Crisanti. "A CRISPR--Cas9 Gene Drive Targeting Doublesex Causes Complete Population Suppression in Caged Anopheles Gambiae Mosquitoes." *Nature Biotechnology* 36 (September 2018): 1062.
- Leach, Braden. "Necessary Measures: Synthetic Biology & the Biological Weapons Convention." *Stanford Technology Law Review* 25 (December 6, 2021): 141–66.
- Lee, Chang-Won. "Reverse Genetics of Influenza Virus." In *Animal Influenza Virus*, edited by Erica Spackman, 37–50. New York, NY: Springer New York, 2014.
- Levy, L., and A. Smithson. "Ataxia: The Chemical and Biological Terrorism Threat and the US Response," October 9, 2000. <https://www.stimson.org/2000/ataxia-chemical-and-biological-terrorism-threat-and-us-response/>.
- Lewis, Gregory, Jacob L. Jordan, David A. Relman, Gregory D. Koblenz, Jade Leung, Allan Dafoe, Cassidy Nelson, et al. "The Biosecurity Benefits of Genetic Engineering Attribution." *Nature Communications* 11, no. 1 (December 8, 2020): 6294.
- Lifton, Robert Jay. *Destroying the World to Save It: Aum Shinrikyo, Apocalyptic Violence, and the New Global Terrorism*. 1st ed. Metropolitan Books, 1999.
- Loh, Po-Shen. "Flipping the Perspective in Contact Tracing." *arXiv [cs.CY]*, October 8, 2020. arXiv. <http://arxiv.org/abs/2010.03806>.
- . "NOVID - a New Approach to Pandemics." NOVID. Accessed July 14, 2022. <https://www.novid.org/>.
- Malik, Shahzeb, Muhammad Usman, M. Ajmal Khan, and Hideki Hirayama. "Polarization-Dependent Hole Generation in 222 Nm-Band AlGaIn-Based Far-UVC LED: A Way Forward to the Epi-Growers of MBE and MOCVD." *Journal of Materials Chemistry* 9, no. 46 (December 2, 2021): 16545–57.
- Maroun, Justin, Miguel Muñoz-Alía, Arun Ammayappan, Autumn Schulze, Kah-Whye Peng, and Stephen Russell. "Designing and Building Oncolytic Viruses." *Future Virology* 12, no. 4 (April 2017): 193–213.
- Martinez, Jenny S. "Hostis Humani Generis: Enemies of Mankind." In *The Slave Trade and the Origins of International Human Rights Law*, 114–39. Oxford University Press, 2015.
- McMaster, Joe. *From Controversy to Cure - Inside the Cambridge Biotech Boom*. United States: MIT Video Productions, 2019. <https://vimeo.com/444879438>.
- McNicholas, Celine, and Margaret Poydock. "Who Are Essential Workers?: A Comprehensive Look at Their Wages, Demographics, and Unionization Rates." Economic Policy Institute. Accessed July 3, 2022. <https://www.epi.org/blog/who-are-essential-workers-a-comprehensive-look-at-their-wages-demographics-and-unionization-rates/>.
- Mehl, Matthias R., Simine Vazire, Nairán Ramírez-Esparza, Richard B. Slatcher, and James W. Pennebaker. "Are Women Really More Talkative than Men?" *Science* 317, no. 5834 (July 6, 2007): 82.
- Meklenburg, John, Michael Specter, Michael Wentz, Hari Balakrishnan, Anantha Chandrakasan, John Cohn, Gary Hatke, et al. "SonicPACT: An Ultrasonic Ranging Method for the Private Automated Contact Tracing (PACT) Protocol." *arXiv [cs.NI]*, December 8, 2020. arXiv. <http://arxiv.org/abs/2012.04770>.

- Millett, Piers, and Andrew Snyder-Beattie. "Existential Risk and Cost-Effective Biosecurity." *Health Security* 15, no. 4 (August 14, 2017): 373–83.
- Mowatt-Larssen, Rolf. "Al Qaeda Weapons of Mass Destruction Threat: Hype or Reality?" Belfer Center, Harvard University, January 2010. <https://www.belfercenter.org/publication/al-qaeda-weapons-mass-destruction-threat-hype-or-reality>.
- Murray, Christopher J. L. "COVID-19 Will Continue but the End of the Pandemic Is near." *The Lancet*, January 29, 2022.
- Nardell, Edward A., Scott J. Bucher, Philip W. Brickner, Charles Wang, Richard L. Vincent, Kathleen Becan-McBride, Mark A. James, Max Michael, and James D. Wright. "Safety of Upper-Room Ultraviolet Germicidal Air Disinfection for Room Occupants: Results from the Tuberculosis Ultraviolet Shelter Study." *Public Health Reports* 123, no. 1 (January 2008): 52–60.
- National Center for Science and Engineering Statistics. "Doctorate Recipients from U.S. Universities, 2019." Accessed September 6, 2021. <https://ncses.nsf.gov/pubs/nsf21308/data-tables>.
- Nielsen, Alec A. K., and Christopher A. Voigt. "Deep Learning to Predict the Lab-of-Origin of Engineered DNA." *Nature Communications* 9, no. 1 (August 7, 2018): 3135.
- Noble, Charleston, Ben Adlam, George M. Church, Kevin M. Esvelt, and Martin A. Nowak. "Current CRISPR Gene Drive Systems Are Likely to Be Highly Invasive in Wild Populations," November 2017.
- OECD. "OECD: Graduates by Field." Accessed January 19, 2021. https://stats.oecd.org/Index.aspx?DataSetCode=EDU_GRAD_FIELD.
- Osterholm PhD MPH, Michael, and Mark Olshaker. *Deadliest Enemy: Our War Against Killer Germs*. 1st ed. Little, Brown Spark, 2017.
- Oxford, John. "Nature's Biological Weapon." *Nature* 429, no. 6990 (May 2004): 345–46.
- Oye, Kenneth A., Kevin Esvelt, Evan Appleton, Flaminia Catteruccia, George Church, Todd Kuiken, Shlomiya Bar-Yam Lightfoot, Julie McNamara, Andrea Smidler, and James P. Collins. "Biotechnology. Regulating Gene Drives." *Science* 345, no. 6197 (August 2014): 626–28.
- Oye, Kenneth A., and Kevin M. Esvelt. "Gene Drives Raise Dual-Use Concerns---Response." *Science* 345, no. 6200 (August 2014): 1010–11.
- Panosian Dunavan, Claire. "Uncomfortable Truths about Modern Epidemics: A Review of The Pandemic Century and Interview with Author Mark Honigsbaum." *The American Journal of Tropical Medicine and Hygiene* 101, no. 3 (September 2019): 724–25.
- Park, Mee Sook, Jin Il Kim, Joon-Yong Bae, and Man-Seong Park. "Animal Models for the Risk Assessment of Viral Pandemic Potential." *Laboratory Animal Research* 36 (April 22, 2020): 11.
- Peccia, Jordan, Alessandro Zulli, Doug E. Brackney, Nathan D. Grubaugh, Edward H. Kaplan, Arnau Casanovas-Massana, Albert I. Ko, et al. "Measurement of SARS-CoV-2 RNA in Wastewater Tracks Community Infection Dynamics." *Nature Biotechnology* 38, no. 10 (October 2020): 1164–67.
- Pérez Ferriols, A., J. Aguilera, P. Aguilera, D. de Argila, M. A. Barnadas, X. de Cabo, J. M. Carrascosa, et al. "Determinación de La Dosis Eritemática Mínima Y Reacciones Anómalas a Radiación Ultravioleta A Según Fototipo." *Actas Dermo-Sifiligráficas* 105, no. 8 (October 1, 2014): 780–88.
- Ploch, Neysha Lobo, Hyun Kyong Cho, Thomas Filler, Johannes Glaab, Heiko Gundlach, Martin Guttman, Sylvia Hagedorn, et al. "Development of Far-UVC LEDs and Their Application in Irradiation Systems for Antisepsis and Sensing." In *Light-Emitting Devices, Materials, and Applications XXVI*, PC12022:PC120220D. SPIE, 2022.
- Ponnaiya, Brian, Manuela Buonanno, David Welch, Igor Shuryak, Gerhard Randers-Pehrson, and David J. Brenner. "Far-UVC Light Prevents MRSA Infection of Superficial Wounds in Vivo." *PloS One* 13, no. 2 (February 21, 2018): e0192053.
- American Veterinary Medical Association. "Project Aims to Identify Viruses with Pandemic Potential," 2021. <https://www.avma.org/javma-news/2021-12-01/project-aims-identify-viruses-pandemic-potential>.

- Reardon, Sara. "US Government Lifts Ban on Risky Pathogen Research." Nature Publishing Group UK, December 19, 2017. <https://doi.org/10.1038/d41586-017-08837-7>.
- Remington, P. L., W. N. Hall, I. H. Davis, A. Herald, and R. A. Gunn. "Airborne Transmission of Measles in a Physician's Office." *JAMA: The Journal of the American Medical Association* 253, no. 11 (March 15, 1985): 1574–77.
- Riley, E. C., G. Murphy, and R. L. Riley. "Airborne Spread of Measles in a Suburban Elementary School." *American Journal of Epidemiology* 107, no. 5 (May 1978): 421–32.
- Rivest, Ronald L., Kevin Esvelt, Daniel Kahn Gillmor, Louise Ivers, Yael Tauman Kalai, Anna Lysyanskaya, Bobby Pelletier, et al. "The PACT Protocol Specification." Accessed March 28, 2022. <https://pact.mit.edu/wp-content/uploads/2020/11/The-PACT-protocol-specification-2020.pdf>.
- Roberts. "Hostis Humani Generis: The Threat of WMD Terrorism and How NATO Is Facing the Ultimate Threat." *Defence against Terrorism Review*, 2009. https://www.tmmm.tsk.tr/publication/datr/volume3/01-Hostis_Humani_Generis.pdf.
- Ruiz-Aravena, Manuel, Clifton McKee, Amandine Gamble, Tamika Lunn, Aaron Morris, Celine E. Snedden, Claude Kwe Yinda, et al. "Ecology, Evolution and Spillover of Coronaviruses from Bats." *Nature Reviews. Microbiology* 20, no. 5 (May 2022): 299–314.
- Silcott, David, Sean Kinahan, Joshua Santarpia, Blake Silcott, Ryan Silcott, Peter Silcott, Braden Silcott, et al. "TRANSCOM/AMC Commercial Aircraft Cabin Aerosol Dispersion Tests," 2020. <https://trid.trb.org/view/1747446>.
- Sun, Zhi-Bing, Ya-Nan Si, Shu-Na Zhao, Qian-You Wang, and Shuang-Quan Zang. "Ozone Decomposition by a Manganese-Organic Framework over the Entire Humidity Range." *Journal of the American Chemical Society* 143, no. 13 (April 7, 2021): 5150–57.
- Systemic Risk of Modelling Working Party, Oxford Martin School and Amlin Insurance. "Systemic Risk of Modelling in Insurance." University of Oxford, 2015. https://www.oxfordmartin.ox.ac.uk/downloads/academic/201511_Amlin_FHI_white_paper.pdf.
- The Nucleic Acid Observatory Consortium. "A Global Nucleic Acid Observatory for Biodefense and Planetary Health." *arXiv [q-bio.GN]* <http://arxiv.org/abs/2108.02678>, August 5, 2021. arXiv. <http://arxiv.org/abs/2108.02678>.
- Thèves, C., P. Biagini, and E. Crubézy. "The Rediscovery of Smallpox." *Clinical Microbiology and Infection: The Official Publication of the European Society of Clinical Microbiology and Infectious Diseases* 20, no. 3 (March 2014): 210–18.
- Thiel, Volker. "Synthetic Viruses-Anything New?" *PLoS Pathogens* 14, no. 10 (October 2018): e1007019.
- Thi Nhu Thao, Tran, Fabien Labrousseau, Nadine Ebert, Philip V'kovski, Hanspeter Stalder, Jasmine Portmann, Jenna Kelly, et al. "Rapid Reconstruction of SARS-CoV-2 Using a Synthetic Genomics Platform." *Nature* 582, no. 7813 (June 2020): 561–65.
- Torres, Phil. "Who Would Destroy the World? Omnicidal Agents and Related Phenomena." *Aggression and Violent Behavior* 39 (March 2018): 129–38.
- One suit, all modes. "Verasuit Advantages." Accessed March 28, 2022. <https://www.verasuit.com/advantages.html>.
- Watts, Geoff. "Harnessing Mother Nature against Your Fellow Humans." *BMJ* 331, no. 7527 (November 26, 2005): 1228.
- Welch, David, Manuela Buonanno, Veljko Grilj, Igor Shuryak, Connor Crickmore, Alan W. Bigelow, Gerhard Randers-Pehrson, Gary W. Johnson, and David J. Brenner. "Far-UVC Light: A New Tool to Control the Spread of Airborne-Mediated Microbial Diseases." *Scientific Reports* 8, no. 1 (February 9, 2018): 2752.
- Welch, David, Norman J. Kleiman, Peter C. Arden, Christine L. Kuryla, Manuela Buonanno, Brian Ponnaiya, Xuefeng Wu, and David J. Brenner. "No Evidence of Induced Skin Cancer or Other Skin Abnormalities after Long Term (66 Week) Chronic Exposure to 222-Nm Far-UVC Radiation." *bioRxiv*, March 18, 2022. <https://doi.org/10.1101/2022.03.16.484636>.

- Wikipedia contributors. "James Holmes (mass Murderer)." Wikipedia, The Free Encyclopedia, December 4, 2021. [https://en.wikipedia.org/w/index.php?title=James_Holmes_\(mass_murderer\)&oldid=1058622750](https://en.wikipedia.org/w/index.php?title=James_Holmes_(mass_murderer)&oldid=1058622750).
- Willman, David, and Madison Muller. "A Science in the Shadows." *The Washington Post*. August 26, 2021. <https://www.washingtonpost.com/nation/interactive/2021/a-science-in-the-shadows/>.
- Woods, Julie A., Alan Evans, Paul Donald Forbes, Philip J. Coates, June Gardner, Ronan M. Valentine, Sally H. Ibbotson, James Ferguson, Christopher Fricker, and Harry Moseley. "The Effect of 222-Nm UVC Phototesting on Healthy Volunteer Skin: A Pilot Study." *Photodermatology, Photoimmunology & Photomedicine* 31, no. 3 (May 2015): 159–66.
- World Economic Forum, Nuclear Threat Initiative. "Biosecurity Innovation and Risk Reduction: A Global Framework for Accessible, Safe and Secure DNA Synthesis," January 8, 2020. https://www3.weforum.org/docs/WEF_Biosecurity_Innovation_Risk_Reduction.pdf.
- Xie, Xuping, Kumari G. Lokugamage, Xianwen Zhang, Michelle N. Vu, Antonio E. Muruato, Vineet D. Menachery, and Pei-Yong Shi. "Engineering SARS-CoV-2 Using a Reverse Genetic System." *Nature Protocols* 16, no. 3 (March 2021): 1761–84.
- Yong, Ed. "A Controversial Virus Study Reveals a Critical Flaw in How Science Is Done." *The Atlantic*, October 4, 2018. <https://www.theatlantic.com/science/archive/2018/10/horsepox-smallpox-virus-science-ethics-debate/572200/>.
- Zhang, Jinjun, Fei Qin, Xinyan Qin, Jianren Li, Sijia Tian, Jing Lou, Xuqin Kang, et al. "Transmission of SARS-CoV-2 during Air Travel: A Descriptive and Modelling Study." *Annals of Medicine* 53, no. 1 (December 2021): 1569–75.
- Zhong, Gongxun, Shufang Fan, Masato Hatta, Sumiho Nakatsu, Kevin B. Walters, Tiago J. S. Lopes, Jessica I-Hsuan Wang, et al. "Mutations in the Neuraminidase-Like Protein of Bat Influenza H18N11 Virus Enhance Virus Replication in Mammalian Cells, Mice, and Ferrets." *Journal of Virology* 94, no. 5 (February 14, 2020). <https://doi.org/10.1128/JVI.01416-19>.
- Zhou, Anders Sandberg And. "Meta-Modelling of Systemic Risk from Models." University of Oxford, 2015. <https://www.msamlin.com/content/dam/ms-amlin/corporate/our-world/Whitepapers/MS%20Amlin%20White%20Paper%20Meta-modelling%20of%20systemic%20risk%20from%20models.pdf.downloadasset.pdf>.

Geneva Papers Research Series

- No.1 2011 G. P. Herd, "The Global Puzzle: Order in an Age of Primacy, Power-Shifts and Interdependence", 34p.
- No.2 2011 T. Tardy, "Cooperating to Build Peace: The UN-EU Inter-Institutional Complex", 36p.
- No.3 2011 M.-M. Ould Mohamedou, "The Rise and Fall of Al Qaeda: Lessons in Post-September 11 Transnational Terrorism", 39p.
- No.4 2011 A. Doss, "Great Expectations: UN Peacekeeping, Civilian Protection and the Use of Force", 43p.
- No.5 2012 P. Cornell, "Regional and International Energy Security Dynamics: Consequences for NATO's Search for an Energy Security Role", 43p.
- No.6 2012 M.-R. Djalili and T. Kellner, "Politique Régionale de l'Iran: Potentialités, Défis et Incertitudes", 40p.
- No.7 2012 G. Lindstrom, "Meeting the Cyber Security Challenge", 39p.
- No.8 2012 V. Christensen, "Virtuality, Perception and Reality in Myanmar's Democratic Reform", 35p.
- No.9 2012 T. Fitschen, "Taking the Rule of Law Seriously", 30p.
- No.10 2013 E. Kienle, "The Security Implications of the Arab Spring", 32p.
- No.11 2013 N. Melzer, "Human Rights Implications of the Usage of Drones and Unmanned Robots in Warfare", 75p.
- No.12 2013 A. Guidetti et al., "World Views: Negotiating the North Korean Nuclear Issue", 47p.
- No.13 2013 T. Sisk and M.-M. Ould Mohamedou, "Bringing Back Transitology: Democratisation in the 21st Century", 36p.
- No.14 2015 H. J. Roth, "The Dynamics of Regional Cooperation in Southeast Asia", 35p.
- No.15 2015 G. Galice, "Les Empires en Territoires et Réseaux", 42p.
- No.16 2015 S. C. P. Hinz, "The Crisis of the Intermediate-range Nuclear Forces Treaty in the Global Context", 36p.
- No.17 2015 H. J. Roth, "Culture - An Underrated Element in Security Policy", 40p.
- No.18 2016 D. Esfandiary and M. Finaud, "The Iran Nuclear Deal: Distrust and Verify", 44p.
- No.19 2016 S. Martin, "Spying in a Transparent World: Ethics and Intelligence in the 21st Century", 42p.
- No.20 2016 A. Burkhalter, "Définir le Terrorisme: Défis et Pratiques", 50p.
- No.21 2017 M. Finaud, "'Humanitarian Disarmament': Powerful New Paradigm or Naïve Utopia?", 48p.
- No.22 2017 S. Aboul Enein, "Cyber Challenges in the Middle East", 49p.
- No.23 2019 Tobias Vestner, "Prohibitions and Export Assessment: Tracking Implementation of the Arms Trade Treaty", 28p.
- No.24 2019 Mathias Bak, Kristoffer Nilas Tarp and Dr. Christina Schori Liang, "Defining the Concept of 'Violent Extremism'", 32p.

- No.25 2020 Cholpon Orozobekova and Marc Finaud, “Regulating and Limiting the Proliferation of Armed Drones: Norms and Challenges”, 47p.
- No.26 2020 Dr Gervais Rufyikiri, “Reshaping Approaches to Sustainable Peacebuilding and Development in Fragile States – Part I: Nexus between Unethical Leadership and State Fragility”, 47p.
- No.27 2020 Dr Gervais Rufyikiri, “Reshaping Approaches to Sustainable Peacebuilding and Development in Fragile States – Part II: Nexus between Unethical Leadership and State Fragility”, 44p.
- No.28 2021 Dr Gervais Rufyikiri, "Resilience in Post-civil War, Authoritarian Burundi: What Has Worked and What Has Not?", 47p.

People make peace and security possible

Geneva Centre for Security Policy

Maison de la paix
Chemin Eugène-Rigot 2D
P.O. Box 1295
1211 Geneva 1
Switzerland
Tel: + 41 22 730 96 00
E-mail: info@gcsp.ch
www.gcsp.ch

ISBN: 978-2-88947-117-1



GCSP
Geneva Centre for
Security Policy